

QUOTATION

To : PT. MERSIFARMA TIRMAKU MERCUSANA
Our reff : 016/EPM-Quot/January/2026
Re : QUOTATION AUTOMATIC DISINTEGRATION TESTER
Date : 15 January 2026
Total Pages : 3 (including this page)

Bersama ini kami sampaikan penawaran harga seperti terlampir, dengan kondisi penawaran sebagai berikut:


Kondisi Penawaran harga:

- Harga franco Sukabumi
- Harga BELUM termasuk PPN 11%.
- Termasuk instalasi, training, IQOQ
- Garansi sparepart 2 tahun
- Gratis IQ/OQ documents.
- Gratis Manual Book
- Delivery : 3 bulan dari pembayaran DP
- Syarat pembayaran: DP 50%, Pelunasan 50% setelah instalasi

Demikian penawaran harga yang dapat kami sampaikan. Atas perhatian dan kerjasamanya kami ucapkan terima kasih.

Hormat kami

PT. Elab Pharma Machine



Zaenal

Hp: 081282895007

AUTOMATIC DISINTEGRATION TESTER

SR. NO.	DESCRIPTION	QTY	AMOUNT IN RUPIAH
1 A	Automatic Disintegration Tester : Auto DT	1	Rp. 385.000.000,00 Disc 30% Rp. 269.500.000,00
	<u>Features</u> Power saving heaters to heat the medium Quick heating ❖ Direct heating of the medium avoids water bath maintenance-cleaning and frequent changeovers ❖ Infrared sensor based temperature monitoring ❖ Firmware based temperature calibration ❖ Automatic detection of medium type and medium fill level ❖ Automatic test start upon reaching set temperature ❖ Automatic detection of tablet disintegration time ❖ Automatic generation of audio-visual signals ❖ Compact footprint ❖ Baskets of inert material ❖ Wire-free baskets ❖ Colour coded discs ❖ Interactive touch screen Increased protocol storage space, number of users and access levels ❖ Biometric login (optional) ❖ Electronic logbook and audit trail (optional) ❖ Built-in thermal printer (optional) <u>Specifications:</u> ❖ Display: Screen - 7" screen color touchscreen ❖ Temperature: ▪ Readable temperature range: 20 to 45°C ▪ Temperature accuracy - $\pm 1^{\circ}\text{C}$ ▪ Heater - 100W ❖ Strokes: ▪ Strokes/min: 30 ± 1 strokes / min ▪ Stroke length: $55 \pm 1\text{mm}$		Special Price Rp. 245.000.000,00

	❖ Power supply: 230V ❖ Basket: ▪ Litres - 1L ▪ No. of Tubes - 6 ▪ Disc - Color coded discs ❖ Illumination: Green LED/D'light ❖ Storage: ▪ Protocol storage 1000 ▪ Testreport storage 10000 ❖ Security: ▪ Multilevel with password for 250 users with 10 programmable roles ▪ Biometric fingerprint (Optional) ❖ Printer: ▪ Thermal printer (Optional) ▪ Printer interface - LAN/RS 232/USB		
1 B	Standard accessories included in autoDT		
(i)	Automatic Parent module	1	Included
(ii)	Six tube basket assembly	1	Included
(iii)	Guided disc for capsules and tablets	6	Included
(iv)	Glass beaker (1000 mL)	1	Included
1 G	IQ/OQ documents (SAC CODE-)	1	Included

