

SURAT PERMINTAAN BARANG

Print 19-Feb-26
 Time: 08:44:44

PR Number : RQ000342

Date: 19-Feb-26

Department :

QC

Line	Item Number	Description	Due Date	QTY
1	IRE00028	Buffer Solution pH 9.21 Ex. Mettler Toledo Cat no: 51350022	28-Apr-26	1,500.00 ml
2	IRE00027	Buffer Solution pH 7 Ex. Mettler Toledo Catalog no : 51350020	28-Apr-26	1,500.00 ml
3	IRE00026	Buffer Solution pH 4.01 Ex.Mettler Toledo Cat.No : 51350018	28-Apr-26	1,500.00 ml

Dibuat	Diperiksa	Accounting/Finance	Menyetujui
<i>[Signature]</i> 19/26 02	<i>[Signature]</i> 19/26 02		

Distribusi Putih (Purchasing)

Kuning/Hijau (Logistik)

Merah (Accounting/Finance)



Good Quality Improve Life's Quality
Head Office and Factory
Jalan Raya Pelabuhan Km. 18
Cikembar Sukabumi - Jawa Barat

Page 1 / 1

19-Feb-26

8:44:06 AM

ANALISA PERMINTAAN BARANG

Tgl SPB : 19-Feb-26

No.SPB : RQ000342

Status : Not Planned

No	Kode Barang	Nama Barang	Stok Saat ini (A)	Rencana Kebutuhan (B)	Sisa Planned	Kekurangan (D)	Pending PR	Penerimaan PO	Jmh Permintaan Due Date	Realisasi Pembelian	Realisasi Produksi	Lead Time
1	IRE00028	Buffer Solution pH 9.21 Ex. Mettler	1,320.00	3,135.00 Dec-26	1,000.00 Jun-26	-813.00	2.0	0.0	1,500.00 ml Apr-26	0.00	0.00	126 hari
2	IRE00027	Buffer Solution pH 7 Ex. Mettler	1,315.00	3,872.00 Dec-26	2,000.00 Apr-26	-557.00	0.0	0.0	1,500.00 ml Apr-26	0.00	0.00	126 hari
3	IRE00026	Buffer Solution pH 4.01 Ex. Mettler	1,230.00	4,070.00 Dec-26	2,000.00 Jun-26	-840.00	0.0	0.0	1,500.00 ml Apr-26	0.00	0.00	90 hari

URAIAN : Untuk Produksi apa, Rencana kerja brp bulan, untuk kebutuhan brp batch, Barang yang diminta, Ukuran, Untuk Kebutuhan, Baru/Penggantian, Alasan-alasan kebutuhan, estimasi Harga, Budegt tersedia / Belum dll)

D = A - B + C + E)

Packing Original : 1 Pack @6 botol @250 ml

Realisasi penggunaan :

Buffer Solution pH 4.01

Nov: 210 ml Dec: 370 ml Jan: 170 ml

Buffer Solution pH 7

Nov: 300 ml Dec: 352 ml Jan: -

Buffer Solution pH 9.21

Nov: 230 ml Dec: 285 ml Jan: -

-Digunakan untuk verifikasi pH meter di lab kimia dan mikrobiologi

-Rencana kebutuhan Buffer solution pH 4.01 : 370 ml/bulan

-Rencana kebutuhan Buffer solution pH 7 : 352 ml/bulan

-Rencana kebutuhan Buffer solution pH 9.21 : 285 ml/bulan

Sul
19/26
02

Man
19/26
02

Qu
19/26
02

MRP Detail Report

MTM IDR

Page 1 / 1

2/19/2026

8:47:40 AM

Item Number IRE00028

Buffer Solution pH 9.21 Ex. Mettler Toledo

Buyer/Planner

Site MTM

Qty On Hand 1,320.0	UM ml	Time Fence 0	Manufacturing Lead Time 0	MRP Required No
Order Policy POQ	Minimum Order 1,000	Safety Time 20	Pur/Mfg P	Purchase LT 126
Order Period 90	Maximum Order 0	Safety Stk 0	Inspect No	Inspect LT 7
Order Qty 0	Ord Mult 1,000	Yield% 100.00%	Cumulative Lead Time 0	Plan Orders Yes
Issue Policy Direct			BOM/Formula Code	

Due Date	Gross Reqmt	Scheduled Receipt	Projected Qty OH	Planned Order(Due)	Details
2/23/2026	285.00		1,035.00		Forecast
3/30/2026	285.00		750.00		Forecast
4/27/2026	285.00		465.00		Forecast
4/28/2026			1,965.00	1,500.00	Requisition: RQ000342
5/25/2026	285.00		1,680.00		Forecast
6/29/2026	285.00		1,395.00		Forecast
7/27/2026	285.00		1,110.00		Forecast
8/31/2026	285.00		825.00		Forecast
9/28/2026	285.00		540.00		Forecast
10/26/2026	285.00		255.00		Forecast
11/2/2026			1,255.00	1,000.00	Order: 02190013 ID: 101418 Release Date 6/29/2026
11/30/2026	285.00		970.00		Forecast
12/21/2026	285.00		685.00		Forecast

Out of stock
OB 19/2/26

MRP Detail Report

MTM IDR

Page 1 / 2

2/19/2026

8:46:37 AM

Item Number IRE00027		Buffer Solution pH 7 Ex. Mettler		Buyer/Planner		Site MTM	
Qty On Hand	1,315.0	UM	ml	Time Fence	0	Manufacturing Lead Time	0
Order Policy	POQ	Minimum Order	1,000	Safety Time	20	Pur/Mfg	P
Order Period	90	Maximum Order	0	Safety Stk	0	Purchase LT	126
Order Qty	0	Ord Mult	1,000	Yield%	100.00%	Inspect	No
Issue Policy	Direct					Inspect LT	7
						Cumulative Lead Time	0
						BOM/Formula Code	
						MRP Required	No
						Mstr Sched	Yes
						Plan Orders	Yes

Due Date	Gross Reqmt	Scheduled Receipt	Projected Qty OH	Planned Order(Due)	Details
2/23/2026	352.00		963.00		Forecast
3/30/2026	352.00		611.00		Forecast
4/27/2026	352.00		259.00		Forecast
4/28/2026			1,759.00	1,500.00	Requisition: RQ000342
5/25/2026	352.00		1,407.00		Forecast
6/29/2026	352.00		1,055.00		Forecast
7/27/2026	352.00		703.00		Forecast
8/31/2026	352.00		351.00		Forecast
8/31/2026			2,351.00	2,000.00	Order: 02190012 ID: 101417 Release Date 4/27/2026
9/28/2026	352.00		1,999.00		Forecast
10/26/2026	352.00		1,647.00		Forecast
11/30/2026	352.00		1,295.00		Forecast
12/21/2026	352.00		943.00		Forecast

Outing 19/02/26
OR

MTM IDR

8:45:50 AM

Site MTM

Due Date	Gross Reqmt	Scheduled Receipt	Projected Qty OH	Planned Order(Due)	Details
2/23/2026	370.00		860.00		Forecast
3/30/2026	370.00		490.00		Forecast
4/27/2026	370.00		120.00		Forecast
4/28/2026			1,620.00	1,500.00	Requisition: RQ000342
5/25/2026	370.00		1,250.00		Forecast
6/29/2026	370.00		880.00		Forecast
7/27/2026	370.00		510.00		Forecast
8/31/2026	370.00		140.00		Forecast
8/31/2026			2,140.00	2,000.00	Order: 02190011 ID: 101416 Release Date 6/2/2026
9/28/2026	370.00		1,770.00		Forecast
10/26/2026	370.00		1,400.00		Forecast
11/30/2026	370.00		1,030.00		Forecast
12/21/2026	370.00		660.00		Forecast