

SURAT PERMINTAAN BARANG

No	Kode Barang	Nama Barang	Merk / Brand	Type	Spesifikasi	Satuan	Riwayat Pembelian				Stok Saat Ini	Minimum Stok	Jumlah Permintaan	No Justifikasi
							Tanggal	Jumlah	No SPB	Supplier				
1	IMO12001	Lampu	Philips		Natrium SON - T 150 W, E40	PCS	14-Apr-26	2	PF000225	PT. Asiaparts Indotech	2	4	6	SP-ELC-049
2	IMO06076	Fitting	Philips		Natrium E40	PCS	22-May-26	2	PF000225	PT. Asiaparts Indotech	2	1	2	SP-ELC-133
3	IMO12001	Lampu			Mixing 7 W, 220V MR16 3000 K	PCS	-	-	-	-	0	4	6	SP-ELC-130
4	IMO18018	Relay	Schneider	RXM2LB2BD		PCS	02-Dec-25	20	PW016300	CV. Teknindo Abadi	16	13	20	SP-ELC-134
5	IMO16010	Power Supply			100-24 VAC 1.5 A	PCS	-	-	-	-	0	2	3	SP-ELC-084
6	ATSP00933	Ignitor Lampu	Philips		SN58 100-600W 220 V - 240 V	PCS	30-Apr-26	2	PF000225	PT. Asiaparts Indotech	1	1	2	SP-ELC-058
7	IMO02082	Ballast Lampu	Philips		BSN 1 50 L 300T, 150W, 220V, 50 HZ, 80A	PCS	22-May-26	2	PF000225	PT. Asiaparts Indotech	1	1	2	SP-ECL-057
8	IMO03203	Capasitor	Philips	CP-25BU28		PCS	22-May-26	2	PF000225	PT. Asiaparts Indotech	1	1	2	SP-ELC-058

Catatan :

Permintaan Lampu Natrium, Fitting E40, Lampu Mixing, Relay RXM2LB2BD & Power Supply 100-24 VAC 1.5 A, Sudah berada pada minimum stock sehingga perlu diajukan terhadap Lampu Natrium, Fitting E40, Lampu Mixing, Relay RXM2LB2BD, Power Supply 100-24 VAC 1.5 A, Ignitor lampu, ballast lampu & capasitor Tersebut.

SPAREPARTS CONTROLLER

 08/26/26

AJKA AMIRIN

Asst. Manager

 08/26/26

FIRMAN ARDI B

MANAGER

 08/26/26

HERMAN WIDYAPRASETYA



Lampu Natrium Philips SON - T 150 W E E40

LUKASI

KODE BARANG :

MINIMUM STOK :

SATUAN

: ৭৮৯

ORDER QTY

2

[illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-049 Tanggal : 02 JULI 2026 Revisi : 01
---	--------------------------------------	---



NAMA BARANG	Lampu Natrium
TYPE / BRAND	SON-T 150W E E40 / Philips
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING,CAPPING,MIXING 500 L


NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	6 Months
B	MTBF Assumption	6 Months
C	Avarage Months consumption	6 Pcs/ 6 Months = 1 Pcs
D	Lead Time	4 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 4 x 1 = 4 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 4 = 6 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
4	6

Di Susun Oleh	Diperiksa		Mengetahui
 02/26/07	 02/07/24 Supervisor Compliance	 03/26/07 Assistant Manager	 Manager Engineering



Fitting Down Light Keramik Plafon E4C

● ●

MINIMUM STOK :

ORDER QTY

[illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-133 Tanggal : 02 JULI 2026 Revisi : 00
---	--------------------------------------	---




NAMA BARANG	Fitting Lampu Natrium
TYPE / BRAND	Philips E40
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING, CAPPING, MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 02/26/07	 02/07/26 Supervisor Compliance	 03/26/07 Assistant Manager	 06/26/07 Manager Engineering



SATUAN : Per ORDER QTY : 1

[illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-130 Tanggal : 02 JULI 2026 Revisi : 00
---	--------------------------------------	---



NAMA BARANG	Lampu LED
TYPE / BRAND	7 Watt, 220 Volt MR16 3000 K
DIGUNAKAN UNTUK	MIXING TANK 100 L, 50 L, 200 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	MIXING TANK 100 L	PROSUKSI U.6A STERIL	1	1	1
2	MIXING TANK 100 L	PRODUKSI U.1 STERIL	1	1	1
3	MIXING TANK 50 L	PRODUKSI U.1 STERIL	1	1	1
4	MIXING TANK 200 L	PRODUKSI U.1 STERIL	1	1	1
5	MIXING TANK 200 L	PRODUKSI U.1 STERIL	1	1	1
TOTAL LAMPU LED TERPASANG					5 PCS

A	Mean Time Between Failure (MTBF)	5 Months
B	MTBF Assumption	5 Months
C	Avarage Months consumption	5 Pcs/ 5 Months = 1 Pcs
D	Lead Time	4 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 4 X 1 = 4 Pcs
F	Decide to maintain Order Point (100% - 150%)	(150% x E) = 150% x 4 = 6 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
4	6

Di Susun Oleh	Diperiksa		Mengetahui
 02/07/26	 02/07/26 Supervisor Compliance	 02/07/26 Assistant Manager	 06/07/26 Engineering Manager

BIN CARD ENGINEERING

Relay 24 VDC [RXM2LB2BD]

NAMA BARANG : LOKASI : E-
KODE BARANG : 1M010000 MINIMUM STOK : 13
SATUAN : Pcs ORDER QTY : 20

TGL	IN	OUT	JUMLAH	KETERANGAN
25/10/24		1	23	u/masin stripping unit 3 "24g/k TK/K/24"
29/1/24		1	24	u/vacuum transfer ce 2 unit 1 "8255/TK"
4/1/25		2	22	u/blister U u.4 "23/TK"
4/1/25		2	20	u/instalasi timer mixer kang 1000L

TGL	IN	OUT	JUMLAH	KETERANGAN
				6500L u.6A "25/TK"
8/1/25		1	19	u/Penggantian ruas Stripping Chungking 5 u.4 "57/TK"
15/1/25		2	17	u/melin blank u.6B "108/TK"
9/2/25		1	16	u/blister Aurore 2 u.1 "221/TK"
17/2/25		2	14	u/Conveyor input Tunnel high fine u.7 steel

BIN CARD ENGINEERING

Relay 24 VDC [RXM2LB2BD]

NAMA BARANG : RXMA2LB2BD LOKASI : E-26

KODE BARANG : 1M018000 MINIMUM STOK : 13

SATUAN : kg ORDER QTY : 20

TGL	IN	OUT	JUMLAH	KETERANGAN
7/25			14	
8/25		1	13	1/ mesin 950- nvlasi GHL u.4 "324/TK"
18/25		2	11	1/ mixer u.2 "423/TK"
23/25		1	10	1/ moving head u.2 stripping "745/TK"
24/25		2	8	1/ filling vial baru

TGL	IN	OUT	JUMLAH	KETERANGAN
				u.2 steril "918/TK"
12/25		1	7	1/ m. blister Accurate u.3 "1112/TK"
11/0725		1	6	1/ perbaikan Sistem Kerja Mesin filling Symp Unit 1 "1301"
10/25 10		1	5	1/ mesin filling Unit 4 "1424"
27/25 10		2	3	1/ mesin filling Ds unit 20 20/20
31/25 10		1	2	1/ Blister 2.
02/25 12	20		22	CV. Tapindo Abadi PO : 0765 P25T 0765



BIN CARD ENGINEERING

Relay 24 VDC [RXM2LB2BD]

NAMA BARANG

LOKASI

KODE BARANG :

MINIMUM STOK :

SATUAN

ORDER QTY

TGL	IN	OUT	JUMLAH	KETERANGAN
17/12		1	21	u/ panel pakuin Dy Blok "2301"
09/12 103		1	20	BK- 329
11/26 103		2	18	BK- 352.
11/26 106		1	17	BK- 707
02/26 107		1	16	BK- 907

[illegible]

L : W-20

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : Tanggal : 24 Januari 2024 Revisi : 00
---	--------------------------------------	---

NAMA BARANG	Relay
TYPE / BRAND	RXM2LB2BD – 24 VDC / Schneider
DIGUNAKAN UNTUK	Blister, Stripping, Blowing, Cartoning, WFI, PSG, Destiller, FBG, dan FBD
PEMBELIAN	Lokal


NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Blister	Produksi U.1	6	4	24
2		Produksi U.2	2	4	8
3		Produksi U.3	1	4	4
4		Produksi U.4	7	4	28
5	Stripping	Produksi U.2	2	2	4
6		Produksi U.3	3	2	6
7		Produksi U.4	8	2	16
8	Blowing	Produksi U.6B Steril	1	10	10
9	Cartoning	Produksi U.1	1	2	2
10		Produksi U.2	1	2	2
11		Produksi U.3	1	2	2
12		Produksi U.4	2	2	4
13		Produksi U.6A	1	2	2
14	WFI	Produksi U.1 Steril	1	6	6
15		Produksi U.6A Steril	1	6	6
16		Produksi U.6B Steril	1	6	6

7	PSG	Produksi U.1 Steril	1	1	1
8		Produksi U.6A Steril	1	1	1
19		Produksi U.6B Steril	1	1	1
20	Destiller	Produksi U.1 Steril	1	1	1
21		Produksi U.6A Steril	1	1	1
22		Produksi U.6B Steril	1	1	1
23	FBG	Produksi U.1	3	12	36
24		Produksi U.3	1	12	12
25		Produksi U.4	2	12	24
26	FBD	Produksi U.4	2	12	24
TOTAL RELAY RXM2LB2BD – 24 VDC TERPASANG					232 Pcs

A	Mean Time Between Failure (MTBF)	36 Months
B	MTBF Assumption	36 Months
C	Avarage Months consumption	232 Pcs/ 36 Months = 6,4 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 6,4 \times 2 = 12,8 = 13 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(150\% \times E) = 150\% \times 13 = 20 \text{ Pcs}$

PROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
13	20

Di Susun Oleh	Diperiksa		Mengetahui
	 Supervisor Compliance	 Assistant Manager	 Engineering Manager



N-16

NAMA BARANG :	LOKASI :	516
KODE BARANG :	MINIMUM STOK :	
SATUAN :	ORDER QTY :	par

[illegible][illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI- INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-084 Tanggal : 04 JUNI 2026 Revisi : 00
---	--------------------------------------	---

NAMA BARANG	Power Supply
TYPE / BRAND	100 – 24 VAC 1.5 A
DIGUNAKAN UNTUK	Panel AHU HVAC, Boiler 6T, Dumb Waiter, Genset, Compressor Dan Air, Blister, Stripping, Cetak, FBG, FBD, Supermixer, Coating, PW Generator Highfine, filling Syrup, Filling Dry Syrup, Cartoning, Blowing, Filling Ampoule, Washing Ampul, Filling Vial, Washing Vial, WFI, PSG, Tunnel, Autoclave, dan Labelling
PEMBELIAN	Lokal

NO	DIPAKAI UNTUK	LOKASI	JUMLAH TEMPAT [A]	JUMLAH BARANG / SATU TEMPAT [B]	TOTAL [A x B]
1	Panel AHU HVAC	Lab. Mikro	3	1	3
2		Produksi U.2	4	1	4
3	Boiler 6T	G. Boiler steril	1	1	1
4	Dumb waiter	Produksi U.2	2	1	2
5		Produksi U.6 Steril	1	1	1
6		Produksi U.8 Steril	2	1	2
7		Gudang Sentral	3	1	3
9		G. Kanser	1	1	1
10	Genset 1000 Kva	G. Utility	2	1	2
11	Compressor DAN AIR	G. Utility	2	1	2
12		R. Compressor U.7 A	2	1	2
13	Blister	Produksi U.1	6	1	6
14		Produksi U.2	2	1	2
15		Produksi U.3	1	1	1
16		Produksi U.4	7	1	7

17	Stripping	Produksi U.2	2	1	2
18		Produksi U.3	3	1	3
19		Produksi U.4	8	1	8
20	Mesin Cetak	Produksi U.1	3	1	3
21		Produksi U.2	5	1	5
22		Produksi U.3	3	1	3
23		Produksi U.4	10	1	10
24	FBG	Produksi U.1	3	1	3
25		Produksi U.3	1	1	1
26		Produksi U.4	1	1	1
27	FBD	Produksi U.4	3	1	3
28	Super Mixer	Produksi U.3	3	1	3
29		Produksi U.4	5	1	5
30	Coating	Produksi U.3	2	1	2
31		Produksi U.4	3	1	3
32	PW Generator High Fine	Aqua Pharma Baru	2	1	2
33		Produksi U.6A Steril	1	1	1
34		Produksi U.6B Steril	1	1	1
35	Filling Syrup xiongshun	Produksi U.1	2	1	2
36	Filling Dry Syrup	Produksi U.2	1	1	1
37	Cartoning	Produksi U.1	1	1	1
38		Produksi U.2	1	1	1
39		Produksi U.3	1	1	1
40		Produksi U.4	2	1	2
41		Produksi U.6A	3	1	3



42	WFI	Produksi U.1 Steril	1	1	1
43		Produksi U.6A Steril	1	1	1
44		Produksi U.6B Steril	1	1	1
45	PSG	Produksi U.1 Steril	1	1	1
46		Produksi U.6A Steril	1	1	1
47		Produksi U.6B Steril	1	1	1
48	Blowing	Produksi U.6B Steril	1	1	1
49		Produksi U. 7B	1	1	1
50	Filling Ampoule	Produksi U.1 Steril	1	1	1
51		Produksi U.6A Steril	2	1	2
52	Washing Ampoule	Produksi U.1 Steril	1	1	1
53		Produksi U.6A Steril	2	2	2
54	Filling Vial	Produksi U. 1 Steril	1	1	1
55		Produksi U. 6A Steril	2	1	2
56	Washing Vial	Produksi U.1 Steril	1	1	1
57		Produksi U.6A Steril	2	1	2
58	Tunnel High Fine	Produksi U.1 Steril	1	1	1
59		Produksi U.6 A Steril	4	1	4
60	Tunnel China Sun	Produksi U.1 Steril	1	1	1
61	Autoclave 250 L	Produksi U.1 Steril	1	1	1
62	Autoclave 800 L	Produksi U.1 Steril	1	1	1
63	Autoclave SG.3	Produksi U.1 Steril	1	1	1
64	Autoclave YG 0.36	Produksi U.6B Steril	2	1	2
65		Produksi U.6A Steril	3	1	3

6	Autoclave YG 0.6	Produksi U.6B Steril	2	1	2
7		Produksi U.6A Steril	4	1	4
8		Produksi U.8B Steril	2	1	2
59	Autoclave AM 2.5	Produksi U.6A Steril	2	2	4
70	Autoclave YG 0.6	Produksi U.6B Steril	1	1	1
71		Produksi U.7B Steril	1	1	1
72	Autoclave SG 4.0	Produksi U.6A Steril	1	1	1
73	Big Autoclave SD-35	Produksi U.6B Steril	2	1	2
74	Labelling	Produksi U.1 Steril	1	1	1
75		Produksi U.1	4	1	4
76		Produksi U.2	2	1	2
77		Produksi U.5	1	1	1
TOTAL POWER SUPPLY 100 – 24 VAC 1.5 ATERPASANG					168 Pcs

A	Mean Time Between Failure (MTBF)	180 Months
B	MTBF Assumption	180 Months
C	Avarage Months consumption	168 Pcs/ 180 Months = 0,93 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 0,93 \times 2 = 1,86 = 2 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(150\% \times E) = 150\% \times 2 = 3 \text{ Pcs}$

PROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
2	3

Di Susun Oleh	Diperiksa		Mengetahui
 09/26 26	 12/26 Supervisor Maintenance	 26/26 26/06 Assistant Manager	 26/26 26/06 Engineering Manager

BIN CARD
ENGINEERING

NAMA BARANG :	Philips SN58 100 .. 600W 220-240V	SI	:	V	-1
---------------	-----------------------------------	----	---	---	----

KODE BARANG : ATSp00a33	MINIMUM STOK :
-------------------------	----------------

SATUAN : Pcs ORDER QTY : 2

[illegible][illegible]

L: V-1

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-058 Tanggal : 04 MEI 2026 Revisi : 00
---	--------------------------------------	--



NAMA BARANG	Ignitor Philips
TYPE / BRAND	SNS8 100 600 W, 220 V – 240 V
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING, CAPPING, MIXING 500 L


NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 HJK 09/26/05	 Supervisor Compliance	 Assistant Manager	 Manager Engineering



Ballast Lampu BSN 150W 150L 300T 220V 50Hz 80A

LOKASI : R-5

MINIMUM STOK :

ORDER QTY :

[illegible]




NAMA BARANG	Ballast Lampu
TYPE / BRAND	BSN 1 50 L 300T, 150 W, 220 V, 50 HZ, 80 A / PHILIPS
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING,CAPPING,MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 09/05/26	 04/05/26 Supervisor Compliance	 04/26/05 Assistant Manager	 08/26/05 Manager Engineering



Capasitor Philips CP-25BU28

: E-5

MINIMUM STOK :

ORDER QTY

[illegible][illegible]

mersi Good Quality Improves Life's Quality PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-058 Tanggal : 04 MEI 2026 Revisi : 00
---	---	---


NAMA BARANG	Capacitor
TYPE / BRAND	CP20CU28 250 V/ Philips
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING,CAPPING,MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 HJK	 Supervisor Compliance	 Assistant Manager	 Manager Engineering