

DATA CONTROL & MONITORING CCTV DEPARTEMEN FACILITY COMPLIANCE

No CCTV	Tipe CCTV	Gedung/Area	Lantai	Kategori Ruangan/Area	Judul CCTV	Target Sorot	Status CCTV
076	Indoor	Unit 1 Non Steril	Lantai 1	Outdoor	076-Koridor Luar Area 1-U1NS	Aktivitas Masuk/Keluar Gedung Unit 1 NS	Pengajuan SPB Baru
077	Indoor	Unit 1 Non Steril	Lantai 1	Outdoor	077-Koridor Luar Area 2-U1NS	Aktivitas Masuk/Keluar Gedung Unit 1 NS	Pengajuan SPB Baru
078	Indoor	Unit 1 Non Steril	Lantai 1	Koridor Dalam	078-Koridor Solid 2-U1NS	Aktivitas Karyawan di Area Koridor	Pengajuan SPB Baru
079	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	079-Granulasi 2-U1NS	Aktivitas Karyawan di Ruang Granulasi	Pengajuan SPB Baru
080	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	080-Kemas Sekunder-U1NS	Penyimpanan Obat Jadi dan Aktivitas Masuk/Keluar Karyawan ke Area Mezanine	Pengajuan SPB Baru
081	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	081-Granulasi 1-U1NS	Aktivitas Karyawan di Ruang Granulasi	Pengajuan SPB Baru
082	Indoor	Unit 1 Non Steril	Lantai 1	Loker	082-Loker 2-U1NS	Aktivitas Karyawan di Ruang Loker	Pengajuan SPB Baru
083	Indoor	Unit 1 Non Steril	Lantai 1	Loker	083-Loker 1-U1NS	Aktivitas Karyawan di Ruang Loker	Pengajuan SPB Baru
084	Indoor	Unit 1 Non Steril	Lantai 1	Loker	084-Loker Kemas Sekunder-U1NS	Aktivitas Karyawan di Ruang Loker	Pengajuan SPB Baru
085	Indoor	Unit 1 Non Steril	Lantai 1	Koridor Dalam	085-Koridor Solid 1-U1NS	Aktivitas Karyawan di Area Koridor	Pengajuan SPB Baru
086	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	086-Granulasi 3-U1NS	Aktivitas Karyawan di Ruang Granulasi	Pemasangan CCTV Eksisting
087	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	087-Bin Blender 2-U1NS	Aktivitas Karyawan di Ruang Bin Blender	Pemasangan CCTV Eksisting
088	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	088-Cetak 3-U1NS	Curah Hasil Cetak	Pemasangan CCTV Eksisting
089	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	089-Cetak 2-U1NS	Curah Hasil Cetak	Pemasangan CCTV Eksisting
090	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	090-Cetak 1-U1NS	Curah Hasil Cetak	Pemasangan CCTV Eksisting
091	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	091-Blistering 4-U1NS	Curah Hasil Blistering	Pemasangan CCTV Eksisting
092	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	092-Blistering 3-U1NS	Curah Hasil Blistering	Pemasangan CCTV Eksisting
093	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	093-Blistering 2-U1NS	Curah Hasil Blistering	Pemasangan CCTV Eksisting
094	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	094-Blistering 1-U1NS	Curah Hasil Blistering	Pemasangan CCTV Eksisting
095	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	095-Bin Blender 1-U1NS	Aktivitas Karyawan di Ruang Bin Blender	Pemasangan CCTV Eksisting
096	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	096-InPC-U1NS	Aktivitas Karyawan di Ruang InPC	Pemasangan CCTV Eksisting
097	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	097-Mixing Liquid 3-U1NS	Aktivitas Karyawan di Ruang Mixing	Pemasangan CCTV Eksisting
098	Indoor	Unit 1 Non Steril	Lantai 1	Koridor Dalam	098-Koridor Liquid-U1NS	Aktivitas Masuk/Keluar Karyawan ke Area Liquid	Pemasangan CCTV Eksisting
099	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	099-Mixing Liquid 2-U1NS	Aktivitas Karyawan di Ruang Mixing	Pemasangan CCTV Eksisting
100	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	100-Granulasi 4-U1NS	Aktivitas Karyawan di Ruang Granulasi	Pemasangan CCTV Eksisting
101	Indoor	Unit 1 Non Steril	Lantai 1	Area Staging	101-Staging Produk Antara-U1NS	Penyimpanan Produk Antara	Pemasangan CCTV Eksisting
102	Indoor	Unit 1 Non Steril	Lantai 1	Area Staging	102-Staging Produk Ruahan-U1NS	Penyimpanan Produk Ruahan	Pemasangan CCTV Eksisting
103	Indoor	Unit 1 Non Steril	Lantai 1	Area Staging	103-Staging Bahan Baku-U1NS	Penyimpanan Produk Bahan Baku	Pemasangan CCTV Eksisting
104	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	104-Mixing Liquid 1-U1NS	Aktivitas Karyawan di Ruang Mixing	Pemasangan CCTV Eksisting
105	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	105-Conical Mixer-U1NS	Aktivitas Karyawan di Ruang Mixing	Pemasangan CCTV Eksisting
106	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	106-Coating 2-U1NS	Produk Hasil Coating	Pemasangan CCTV Eksisting
107	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	107-Stripping-U1NS	Curah Hasil Stripping	Pemasangan CCTV Eksisting
108	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	108-Coating 1-U1NS	Produk Hasil Coating	Pemasangan CCTV Eksisting
109	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	109-Cetak 4-U1NS	Curah Hasil Cetak	Pemasangan CCTV Eksisting
110	Indoor	Unit 1 Non Steril	Lantai 1	Koridor Dalam	110-Koridor Solid 3-U1NS	Aktivitas Karyawan di Area Koridor	Pemasangan CCTV Eksisting
111	Indoor	Unit 1 Non Steril	Lantai 1	Outdoor	111-Koridor Belakang-U1NS	Aktivitas Masuk/Keluar Karyawan ke Area Belakang	Pemasangan CCTV Eksisting
112	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	112-Filling 1-U1NS	Produk Hasil Filling	Pengajuan SPB Baru
113	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	113-Labeling Line 7-U1NS	Aktivitas Karyawan Melakukan Kegiatan Kemas Sekunder	Pemasangan CCTV Eksisting
114	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	114-Filling 2-U1NS	Produk Hasil Filling	Pemasangan CCTV Eksisting
115	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	115-Filling 3-U1NS	Produk Hasil Filling	Pemasangan CCTV Eksisting
116	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	116-Labeling Line 5-U1NS	Aktivitas Karyawan Melakukan Kegiatan Kemas Sekunder	Pengajuan SPB Baru
118	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Proses	118-Penimbangan-U1NS	Aktivitas Karyawan di Ruang Penimbangan	Pengajuan SPB Baru
261	Indoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	261-Labeling Line 6-U1NS	Aktivitas Karyawan Melakukan Kegiatan Kemas Sekunder	Pengajuan SPB Baru
335	Indoor	Unit 1 Non Steril	Lantai 1	Area Staging	335-Logistik-U1NS	Aktivitas Masuk/Keluar Karyawan ke Area Logistik	Pengajuan SPB Baru
336	Indoor	Unit 1 Non Steril	Lantai 1	Koridor Luar	336-Koridor Steril dan U1 NS	Aktivitas Masuk/Keluar Karyawan ke Area Belakang	Pengajuan SPB Baru
337	Outdoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	337-Cartoning Line 4-U1NS	Aktivitas Karyawan Melakukan Kegiatan Kemas Sekunder	Pemasangan CCTV Eksisting
338	Outdoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	338-Line 3-U1NS	Aktivitas Karyawan Melakukan Kegiatan Kemas Sekunder	Pemasangan CCTV Eksisting
339	Outdoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	339-Line 2-U1NS	Aktivitas Karyawan Melakukan Kegiatan Kemas Sekunder	Pemasangan CCTV Eksisting
340	Outdoor	Unit 1 Non Steril	Lantai 1	Ruang Kemas Sekunder	340-Line 1-U1NS	Aktivitas Karyawan Melakukan Kegiatan Kemas Sekunder	Pemasangan CCTV Eksisting
341	Indoor	Unit 1 Non Steril	Mezzanine	Ruang Penyimpanan Produk Psikotropika	341-Mezanine 1-U1NS	Aktivitas dan Akses Pintu Ruang Penyimpanan Psikotropika	Pengajuan SPB Baru
342	Indoor	Unit 1 Non Steril	Mezzanine	Ruang Penyimpanan Bahan Kemas Sekunder	342-Mezanine 2-U1NS	Aktivitas Karyawan di Ruang penyimpanan Bahan kemas Sekunder	Pengajuan SPB Baru
343	Indoor	Unit 1 Non Steril	Mezzanine	Ruang Penandaan Bahan Kemas	343-Penandaan Bahan Kemas-U1NS	Aktivitas Karyawan di Ruang Penandaan Bahan Kemas	Pengajuan SPB Baru
344	Indoor	Unit 1 Non Steril	Mezzanine	Office	344-Supervisor & Administrasi-U1NS	Aktivitas Karyawan di Ruang Administrasi	Pengajuan SPB Baru

Total Jumlah Unit CCTV Pengajuan SPB Baru	: 20 Unit
Total Jumlah Unit Pemasangan CCTV Eksisting	: 33 Unit

Disusun oleh:


Staf Compliance

Disetujui oleh:


Manager Facility Compliance

REKOMENDASI LIST DATA SPB
TOOLS PENDUKUNG CCTV GEDUNG PRODUKSI UNIT 1 NON STERIL

NO	JENIS BARANG	BARANG			
		MERK	Jumlah	Link Pembelian	Ket
1	Konektor LAN RJ45	Commscope	3 Pack	https://www.tokopedia.com/dynamix/konektor-amp-commscope-rj45-utp-cat-5-6-554720-5-asli?utm_campaign=PDP-01d0egkgq3ik-546324068-0&utm_source=salinlink&utm_medium=share	Konektor LAN RJ45 CommScope sebanyak 3 pack untuk terminasi kabel jaringan
2	Kabel LAN	BELDEN	4 Roll	https://www.tokopedia.com/pazcom/kabel-belden-cat5e-utp-lan-cat-5-e-1-roll-305-meter-original-usa?extParam=ivf%3Dfalse%26keyword%3Dkabel+belden+cat+5%26search_id%3D20260713055925D22112A0F9AC6521AVHK%26src%3Dsearch	Kabel LAN BELDEN Cat5e UTP sebanyak 4 roll sebagai media transmisi data jaringan CCTV

Catatan :

- Pengadaan Konektor LAN RJ45 CommScope dan Kabel LAN BELDEN Cat5e UTP diperlukan untuk mendukung kegiatan instalasi jaringan CCTV Gedung Produksi Unit 1 Non Steril. Penggunaan material yang sesuai dengan standar instalasi bertujuan menjaga kestabilan koneksi, kualitas transmisi data, serta keandalan sistem CCTV dalam mendukung operasional produksi.

Sukabumi, 3 Agustus 2026

Dibuat oleh,



Faisal Ilham Ramdhani

DS-2CD2143G2-LI(S)(2U)**4 MP Acusense Smart Hybrid Light Fixed Dome Network Camera**

- High quality imaging with 4 MP resolution
- Acusense: Focus on human and vehicle classification based on deep learning
- Smart Hybrid Light: Integrates IR and White lights, 4 supplemental lighting modes
- -2U: Built-in arrayed dual-microphone for real-time high quality audio security
- Clear imaging against strong back light due to 120 dB true WDR technology
- Efficient H.265+ compression technology
- Water and dust resistant (IP67) and vandal-resistant (IK10)

▪ Specification

Camera	
Image Sensor	1/2.9" Progressive Scan CMOS
Max. Resolution	2688 × 1520
Min. Illumination	Color: 0.005 Lux @ (F1.6, AGC ON), 0 Lux with light
Shutter Time	1/3 s to 1/100,000 s
Day & Night	IR cut filter
Angle Adjustment	Pan: 0° to 355°, tilt: 0° to 75°, rotate: 0° to 355°
Lens	
Lens Type	Fixed focal lens, 2.8 and 4 mm optional
Focal Length & FOV	2.8 mm, horizontal FOV 104°, vertical FOV 57°, diagonal FOV 122° 4 mm, horizontal FOV 84°, vertical FOV 45°, diagonal FOV 100°
Lens Mount	M12
Iris Type	Fixed
Aperture	F1.6
Depth of Field	2.8 mm: 1.4 m to ∞ 4 mm: 1.5 m to ∞
DORI	
DORI	2.8 mm, D: 63 m, O: 25 m, R: 12 m, I: 6 m 4 mm, D: 78 m, O: 31 m, R: 15 m, I: 7 m
Illuminator	
Supplement Light Type	IR, White Light
Supplement Light Range	Up to 30 m
Smart Supplement Light	Yes
IR Wavelength	850 nm
Video	
Main Stream	50 Hz: 25 fps (2688 × 1520, 1920 × 1080, 1280 × 720) 60 Hz: 30 fps (2688 × 1520, 1920 × 1080, 1280 × 720)
Sub-Stream	50 Hz: 25 fps (1280 × 720, 640 × 480, 640 × 360) 60 Hz: 30 fps (1280 × 720, 640 × 480, 640 × 360)
Third Stream	50 Hz: 10 fps (1920 × 1080, 1280 × 720, 640 × 480, 640 × 360) 60 Hz: 10 fps (1920 × 1080, 1280 × 720, 640 × 480, 640 × 360) *Third stream is supported under certain settings.
Video Compression	Main stream: H.265/H.264/H.264+/H.265+, Sub-stream: H.265/H.264/MJPEG, Third stream: H.265/H.264, *Third stream is supported under certain settings.
Video Bit Rate	32 Kbps to 8 Mbps
H.264 Type	Baseline Profile, Main Profile, High Profile
H.265 Type	Main Profile
Scalable Video Coding (SVC)	H.264 and H.265 encoding
Bit Rate Control	CBR, VBR
Region of Interest (ROI)	1 fixed region for main stream and sub-stream
Target Cropping	Yes

Audio	
Audio Compression	-2U: G.711/G.722.1/G.726/MP2L2/PCM/MP3/AAC-LC
Audio Bit Rate	-2U: 64 Kbps (G.711ulaw/G.711alaw)/16 Kbps (G.722.1)/16 Kbps (G.726)/32 to 160 Kbps (MP2L2)/8 to 320 Kbps (MP3)/16 to 64 Kbps (AAC-LC)
Audio Sampling Rate	-2U: 8 kHz/16 kHz/32 kHz/48 kHz
Environment Noise Filtering	-2U: Yes
Network	
Protocols	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, NTP, UPnP, SMTP, IGMP, 802.1X, QoS, IPv4, IPv6, UDP, Bonjour, SSL/TLS, PPPoE, SNMP, WebSocket, WebSockets
Simultaneous Live View	Up to 6 channels
API	ONVIF (Profile S, Profile G), ISAPI, SDK, ISUP
User/Host	Up to 32 users 3 user levels: administrator, operator, and user
Security	Password protection, complicated password, HTTPS encryption, IP address filter, Security Audit Log, basic and digest authentication for HTTP/HTTPS, TLS 1.1/1.2/1.3, WSSE and digest authentication for Open Network Video Interface
Client	iVMS-4200, Hik-Connect, Hik-Central
Network Storage	NAS (NFS, SMB/CIFS), Auto Network Replenishment (ANR), Together with high-end Hikvision memory card, memory card encryption and health detection are supported.
Web Browser	Plug-in required live view: IE 11, Plug-in free live view: Chrome 80+, Firefox 80+, Edge 89+, Safari 13+, Local service: Chrome 80+, Firefox 80+, Edge 89+, Safari 13+
Image	
Image Parameters Switch	Yes
Image Settings	Rotate mode
Day/Night Switch	Day, Night, Auto, Schedule
Wide Dynamic Range (WDR)	120 dB
SNR	≥ 52 dB
Image Enhancement	BLC, HLC, 3D DNR
Privacy Mask	8 programmable polygon privacy masks
Interface	
Ethernet Interface	1 RJ45 10 M/100 M self-adaptive Ethernet port
Audio	Built-in Microphone: -2U: Arrayed dual-microphone -S: 1 input (line in), two-core terminal block, max. input amplitude: 3.3 Vpp, input impedance: 4.7 KΩ, interface type: non-equilibrium 1 output (line out), two-core terminal block, max. output amplitude: 3.3 Vpp, output impedance: 100 Ω, interface type: non-equilibrium
On-Board Storage	Built-in memory card slot, support microSD/microSDHC/microSDXC card, up to 512 GB
Alarm	-S: 1 input, 1 output (max. 12 VDC, 30 mA)
Reset Key	Yes
Event	
Basic Event	Motion detection (support alarm triggering by specified target types (human and vehicle)), video tampering alarm, exception

Linkage	Upload to FTP/NAS/memory card, notify surveillance center, send email, trigger recording, trigger capture, -S: trigger alarm output
Deep Learning Function	
Perimeter Protection	Line crossing, intrusion Support alarm triggering by specified target types (human and vehicle)
General	
Power	12 VDC $\pm$ 25%, 0.6 A, max. 7.2 W, $\varnothing$ 5.5 mm coaxial power plug, reverse polarity protection, PoE: IEEE 802.3af, Class 3, max. 8.5 W
Material	Base: aluminum alloy, cover: aluminum alloy
Dimension	$\varnothing$ 121.5 mm $\times$ 97.6 mm ($\varnothing$ 4.78" $\times$ 3.84")
Package Dimension	150 mm $\times$ 150 mm $\times$ 141 mm (5.91" $\times$ 5.91" $\times$ 5.55")
Weight	Approx. 600 g (1.3 lb.)
With Package Weight	Approx. 830 g (1.8 lb.)
Storage Conditions	-30 °C to 60 °C (-22 °F to 140 °F). Humidity 95% or less (non-condensing)
Startup and Operating Conditions	-30 °C to 60 °C (-22 °F to 140 °F). Humidity 95% or less (non-condensing)
Language	Polish
General Function	Heartbeat, mirror, flash log, password reset via email, pixel counter, anti-banding
Approval	
EMC	CE-EMC: EN 55032:2015+A1:2020, EN 50130-4:2011+A1:2014, EN IEC 61000-3-2:2019+A1:2021, EN 61000-3-3:2013+A1:2019+A2:2021, RCM: AS/NZS CISPR 32: 2015, IC: ICES-003: Issue 7, KC: KN32: 2015, KN35: 2015
Safety	CB: IEC 62368-1: 2014+A11, CE-LVD: EN 62368-1: 2014/A11: 2017, BIS: IS 13252 (Part 1): 2010/IEC 60950-1: 2005, LOA: IEC/EN 60950-1
Environment	CE-RoHS: 2011/65/EU, WEEE: 2012/19/EU, Reach: Regulation (EC) No 1907/2006
Protection	IP67: IEC 60529-2013, IK10: IEC 62262:2002

▪ Typical Application

Hikvision products are classified into three levels according to their anti-corrosion performance. Refer to the following description to choose for your using environment.

This model has NO SPECIFIC PROTECTION

Level	Description
Top-level protection	Hikvision products at this level are equipped for use in areas where professional anti-corrosion protection is a must. Typical application scenarios include coastlines, docks, chemical plants, and more.
Moderate protection	Hikvision products at this level are equipped for use in areas with moderate anti-corrosion demands. Typical application scenarios include coastal areas about 2 kilometers (1.24 miles) away from coastlines, as well as areas affected by acid rain.
No specific protection	Hikvision products at this level are equipped for use in areas where no specific



Konektor AMP (Commscope) RJ45 UTP Cat.5 6-554720-5 (ASLI)

Terjual 500+ • ★ 4.9 (156 rating)

Rp220.000

Detail Produk Spesifikasi Info Penting

Kondisi: Baru
Berat Satuan: 200 g
Min. Beli: 1 Buah
Kategori: **Kabel UTP**
Etalase: **Networking**
100% New & Original COMMSCOPE

Konektor Commscope (AMP) Modular Plug RJ45 UTP Cat.5
Part Number 6-554720-5
100% Original, ada tulisan Commscope pada klip konektor.
Gold plated connector
Untuk dipasang pada kabel UTP
Isi 50pcs/pack

Ciri Produk Asli Commscope (d/h. AMP)
1. Nomor Seri Hologram Unik
2. Pin Tebal
3. Pada tangkai klik konektor tertera cetakan "Commscope"
Deskripsi Produk 📌 Konektor AMP (Commscope) RJ45 UTP Cat.5 6-554720-5 (ASLI)

Konektor ini adalah produk original dari Commscope, tipe modular plug dengan interface RJ45. Cocok untuk kategori Cat.5e. 📌
Spesifikasi
Jenis Produk: Modular plug
Interface: RJ45
Kategori: Cat.5e
Setiap paket berisi 50 pcs konektor. 📦
Keaslian
Produk ini 100% original, seperti yang ditandai dengan label "100% ORIGINAL PRODUCT". Jadi, Anda mendapatkan kualitas asli dari Commscope. 🛠️
Informasi Tambahan
Dapatkan konektor ini untuk kebutuhan jaringan Anda. Pastikan untuk memilih produk original untuk kinerja terbaik. 📺
[Lihat Lebih Sedikit](#)

DYNAMIX IT

👤

DYNAMIX IT

★ 5.0 (16,3 rb)

📦 936 total barang

Follow

Pengiriman

📍 Dikirim dari **Kota Surabaya**
📦 **Rp0**
Standard • Estimasi tiba 15 - 16 Jul

[Lihat Kurir Lainnya](#)

Beli di aplikasi, makin banyak promo!

📱 Scan QR-nya untuk lihat barang ini di aplikasi Tokopedia. Bebas ongkir, tho~

Scan QR

Ada masalah dengan produk ini?

⚠️ [Laporkan](#)

Home > Komputer & Laptop > Kabel & Adaptor > Kabel UTP > Kabel Belden Cat5e UTP LAN Cat ...



Kabel Belden Cat5e UTP LAN Cat 5 e 1 roll 305 meter Original USA

Terjual 12 • ★ 5 (2 rating)

Rp2.610.000

Detail Produk Spesifikasi Info Penting

Kondisi: Baru

Berat Satuan: 10,5 kg

Min. Beli: 1 Buah

Kategori: **Kabel UTP**

Etalase: **Accessories**

Deskripsi Kabel Belden Cat5e UTP LAN Cat 5 e 1 roll 305 meter Original USA NEW
Kabel LAN UTP Belden USA Cat5e 1roll=305meter
Kabel UTP Belden Cat5e Original USA (hologram square)
apabila agan jumpai harga lebih murah maka kemungkinan besar belden tsb adalah belden KW ataupun belden australia (hologram bulat / circle). thx :)
1 Box = 305 meter

SPEKIFIKASI :

- Type : Cable
- Cable Application : UTP cat 5
- Cable length : 1Roll (1000 feet / 305 meter)
- Manufactured by: Belden ORIGINAL USA Category UTP 5e cat5e

[Lihat Lebih Sedikit](#)



 **Pazcom**

Follow

★ 4.9 (9,9 rb)

📦 1744 total barang

Pengiriman

 Dikirim dari **Kota Administrasi Jakarta Pusat**

 **Ongkir Rp14.000**

Kargo • Estimasi tiba 15 - 16 Jul

[Lihat Kurir Lainnya](#)

Beli di aplikasi, makin banyak promo!

 Scan QR-nya untuk lihat barang ini di aplikasi Tokopedia. Bebas ongkir, lho-

 **Scan QR**

Ada masalah dengan produk ini?

 **Laporkan**

Atur jumlah dan catatan

— 1 + Stok Total: **Sisa 10**

Subtotal **Rp2.610.000**

+ Keranjang

Beli Langsung

 Chat  Wishlist  Share