

SURAT PERMINTAAN BARANG

No	Kode Barang	Nama Barang	Merk / Brand	Type	Spesifikasi	Satuan	Riwayat Pembelian				Stok Saat Ini	Minimum Stok	Jumlah Permintaan	No Justifikasi
							Tanggal	Jumlah	No SPB	Supplier				
1	ISP00254	Optic Relay	Autonics	FT-420-10		PCS	11-Aug-26	2	TK260558	PT CITRA ELEKTRINDO MANDIRI	2	1	2	SP-ELC-093
2	IMO19252	Saklar Switch			16-20A	PCS	14-Jan-26	9	P25T0891	PT ARMADA BANGUN SEJAHTERA	2	6	9	SP-ELC-145
3	IMO13052	Dinamo		F KW 18 306307308 309	Motor Vacum Cleaner	PCS	14-Aug-26	3	TK260603	PT KAWAN LAMA SOLUSI	0	2	5	SP-ELC-008
4	IMO08017	Heater			Element Circle 2000 W - 220 V Ø 9.5 X 40 X 95	PCS	18-Aug-26	2	TK260687	PT USAHA SAUDARA MADNIRI	2	2	4	SP-ELC-013

Catatan :
Permintaan Optic Relay, Saklar Switch, Dinamo Motor Vacum & Heater Element Circle 2000 W - 220 V ,. Sudah berada pada minimum stock sehingga perlu diajukan terhadap Optic Relay, Saklar Switch, Dinamo Motor

SPAREPARTS CONTROLLER  19/26. 08 AJKA AMIRIN	Asst. Manager  19/26 08 FIRMAN ARDI B	MANAGER  19/26 08 HERMAWAN WIDYAPRASETYA
--	--	--

Optic Relay Merk Autonics FT - 420-10

NAMA BARANG :	LOKASI :	5-6
KODE BARANG :	MINIMUM STOK :	1
SATUAN :	ORDER QTY :	2

TGL	IN	OUT	JUMLAH	KETERANGAN
17/1/24			1	
26/1/25		1	-	u/ Labelling u.1
				" 398 / 11 "
11/06/25	2		2	Sahabat Murni Intra bang
09/07/25		+ cancel	+ gasing	u/ Mesin Injekt pinda Sahabat Murni 1280
18/26/03		1	1	Bk. 391
11/08/26	2		3	BM. 0253

[illegible]

L: N-6

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : Tanggal : 26 Februari 2025 Revisi : 00
--	--------------------------------------	--


NAMA BARANG	Optic Relay
TYPE / BRAND	FT-420-10/ AUTONICS
DIGUNAKAN UNTUK	Labelling, Filling Syrup, dan Filling HighFine
PEMBELIAN	Lokal

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / JUMLAH PERALATAN [B]	TOTAL [A x B]
1	Labelling	Produksi U.1 Steril	1	1	1
2		Produksi U.1	4	1	4
3		Produksi U.2	2	1	4
4		Produksi U.5	1	1	4
5		Produksi U.6A Steril	1	3	3
6	Filling Syrup	Produksi U.1	2	1	2
7	Filling Highfine	Produksi U.5	1	1	1
TOTAL OPTIC RELAY FT-420-10 MERK. AUTONICS TERPASANG					19 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Average Months consumption	19 Pcs/ 60 Months = 0,4 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 0,4 \times 2 = 0,8 = 1 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(150\% \times E) = 150\% \times 1 = 2 \text{ Pcs}$

PROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 Mowa. Anok	 Supervisor Compliance	 Assistant Manager	 Engineering Manager

BIN CARD ENGINEERING

Saklar Switch 15 A - 20 A

NAMA BARANG : LOKASI : P-15
KODE BARANG : 1P00162 MINIMUM STOK : 6
SATUAN : Per ORDER QTY : 9

TGL	IN	OUT	JUMLAH	KETERANGAN
16/1/24			2	
8/3/24		1	1	Y/mega filter "465 /tk"
9/3/24		1	-	* / Lampu natrium v.2 steril "475 /tk"
3/9/24	9		9	Pt. Multi Jember ARAD1
3/9/24		8	1	Y mega inspacko visual v.2 steril "1810 /tk"
10/10/24	9		10	Multi Jember ARAD1
TGL	IN	OUT	JUMLAH	KETERANGAN
10/10/24		2	8	Y turn Table cramping vidl v.2 steril "2103 /tk"
24/10/24		1	7	Y vacuum can veyor cetak 1 v.2 noy steril "2239 /tk"
17/11/24		1	6	Y/mixer v.2 steril "2631 /tk"
31/11/24		1	5	Y/penggunaan saklar Lampu Natrium "2733 /tk"
7/1/25		1	4	Y/penggunaan Lampu Natrium "39 /tk"

BIN CARD ENGINEERING

NAMA BARANG : Saklar switch 16A-20A LOKASI : V-15

KODE BARANG :	1SP00362	MINIMUM STOK :	6
---------------	----------	----------------	---

SATUAN	:	pcr	ORDER QTY	:	8
--------	---	-----	-----------	---	---

[illegible][illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : Tanggal : 26 Februari 2024 Revisi : 00
--	--------------------------------------	--

NAMA BARANG	Saklar Switch
TYPE / BRAND	16 – 20 A
DIGUNAKAN UNTUK	Lampu Natrium, Band Sealer, Deduster, Metal Detector Single, Metal Detector Combo, meja inspeksi visual, Passtrough, Dissolution Tester, dan Vacum Transfer
PEMBELIAN	Lokal




NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Lampu Natrium	Produksi U.1 Steril	2	1	2
2		Produksi U.3	3	1	3
3		Produksi U.4	3	1	8
4		Produksi U.6A Steril	3	1	3
5	Band Sealer	Produksi U.2	1	3	3
6		Produksi U.4 Lt.1	5	3	15
7		Produksi U.4 Lt.2	2	3	6
8	Deduster	Produksi U.1	4	1	4
9		Produksi U.2	2	1	2
10		Produksi U.3	2	1	2
11		Produksi U.4	7	1	7
12	Metal Detector (Single)	Produksi U.1	3	1	3
13		Produksi U.2	6	1	6
14		Produksi U.3	2	1	2
15		Produksi U.4	11	1	11

16	Metal Detector Combo (Include De- Duster)	Produksi U.1	1	1	1
17		Produksi U.2	1	1	1
18		Produksi U.3	4	1	4
19		Produksi U.4	6	1	6
20	Meja Inspeksi Visual	Produksi U.6A Steril	28	1	28
21		Produksi U.6B Steril	16	1	16
22	Passtrough	Produksi U.1 Steril	3	1	3
23		Produksi U.6A Steril	6	1	6
24		Produksi U.6B Steril	2	1	2
25	Dissolution Tester	Lab RND	4	1	4
26		Lab QC	6	1	6
27		INPC U.1	1	1	1
28		INPC U.2	1	1	1
29		INPC U.3	1	1	1
30		INPC U.4	1	1	1
31	Vacum Transfer	Produksi U.1	5	1	5
32		Produksi U.2	2	1	2
33		Produksi U.3	3	1	3
34		Produksi U.4	5	1	5
TOTAL SAKLAR SWITCH 16-20 A TERPASANG					171Pcs

A	Mean Time Between Failure (MTBF)	60 Months
B	MTBF Assumption	60 Months
C	Average Months consumption	171 Pcs/ 60 Months = 2,9 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 2,9 \times 2 = 5,8 = 6 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(150\% \times E) = 150\% \times 6 = 9 \text{ Pcs}$

PROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
6	9

Di Susun Oleh	Diperiksa		Mengetahui
 26/04/2024 ASX	 23/3 Supervisor Compliance	 26/24 Assistant Manager	 27/24 Engineering Manager

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-008 Tanggal : 3 FEBRUARI 2026 Revisi : 01
--	--------------------------------------	--


NAMA BARANG	Dinamo motor Vaccum Cleaner
TYPE / BRAND	Nilfisk ATTIX 30-01
DIGUNAKAN UNTUK	Vacum Cleaner
PEMBELIAN	Lokal

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	VACUM CLEANER	Produksi U.1 Steril	1	2	2
2		Produksi U. 6B Steril	1	2	2
3		Produksi U.6A Steril	1	3	3
4		Sekunder 6A	1	2	2
TOTAL DINAMO MOTOR VACCUM CLEANER TERPASANG					9 Pcs

A	Mean Time Between Failure (MTBF)	12 Months
B	MTBF Assumption	12 Months
C	Avarage Months consumption	9 Pcs/ 24 Months = 1.3 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 1.3 = 2 Pcs
F	Decide to maintain Order Point (100% - 150%)	(150% x E) = 150% x 2 = 5 PCS

PROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
2	5

Di Susun Oleh	Diperiksa		Mengetahui
	<u>Supervisor Compliance</u>	 13/26 08	<u>Engineering Manager</u>

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS		Nomor : SP-ELC-013 Tanggal : 26 FEBRUARI 2026 Revisi : 01



NAMA BARANG	Element Circular Heater 2000 Watt – 220 Volt Ø 9.5 X 40 X 95 (mm)
TYPE / BRAND	-
DIGUNAKAN UNTUK	Mesin Otolclave
PEMBELIAN	-

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	OTOCLOVE	LAB MIKRO LT 4	1	3	3
TOTAL ELEMENT CIRCULAR HEATER 2000 W – 220 V					3 Pcs

A	Mean Time Between Failure (MTBF)	6 Months
B	MTBF Assumption	6 Months
C	Avarage Months consumption	3 Pcs/ 6 Months = 0.5 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.5 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 100% x 1 = 2 PCS

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
2	4

Di Susun Oleh	Diperiksa		Mengetahui
			
<u>Supervisor Compliance</u>	<u>Assistant Manager</u>		<u>Engineering Manager</u>

NAMA BARANG : Uk. 9.5 x 40 LOKASI : A-2

KODE BARANG : IM003004 MINIMUM STOK :

SATUAN : Pcs ORDER QTY :

TGL	IN	OUT	JUMLAH	KETERANGAN
07/12/25			4	
13/5/25		1	3	✓ menjual
				alat dapur
				skilux mixing
				1000 L U.B
				.. 921 / TL
24/11/24		1	2	✓ AUtocare
				MENJIF L25.
				Mikro
				.. 2474 / TL
24/11/24		1	1	✓ AUtocare
				L25 mikro
				.. 2474 / TL

TGL	IN	OUT	JUMLAH	KETERANGAN
29/11		1	-	u/AUtocare
10/10				Ketif 100 mikro
11/26	2		2	BM-14
11/05/26		2	1	BK-629
18/06/26	2		2	BM-0313



PT. USAHA SAUDARA MANDIRI

QUALITY CONTROL

Customer : RT Mersi farma
Code No. : IKR 1030 A
Part Name : Heater Circle
Specification : Ø 9.5 x 40 x 95 mm
M : 82W - 2000W
Quantity : 4 pcs
Insp. Date : 22 - 3 - 2022

Status

Checked by

OK

(
adw)