

SURAT PERMINTAAN BARANG

No	Kode Barang	Nama Barang	Merk / Brand	Type	Spesifikasi	Satuan	Riwayat Pembelian				Stok Saat Ini	Minimum Stok	Jumlah Permintaan	No Justifikasi
							Tanggal	Jumlah	No SPB	Supplier				
1	IMO08017	U Finned Heater			Model L 2000 W - 20 V, Uk. 210 mm X 550 MM	PCS	-	-	-	-	3	50	100	SP-ELC-146
2	IMO08017	U Finned Heater			Model L 2000 W - 220 V, Uk. 250 mm X 559 mm	PCS	04-Jul-24	50	P24M0040	HUNAN SUNLIFE PHARMA	48	50	100	SP-ELC-147
3	IMO08017	U Finned Heater			Model L 2000 W - 220 V, Uk. 290 mm X 581 MM	PCS	01-Nov-24	50	P24M0040	HUNAN SUNLIFE PHARMA	47	50	100	SP-ELC-148
4	IMO08017	Tubular Heater			2000 W - 220 V, 50/60 Hz, Panjang 60 Cm (Tunnel Highfine)	-	-	-	-	-	170	150	300	sp-elc-149

Catatan :
Permintaan U Finned Heater Dengan model dan Type di atas ,, Sudah berada pada minimum stock sehingga perlu diajukan terhadap U Finned Heater Dengan model dan Type di atas Tersebut.

SPAREPARTS CONTROLLER


AJKA AMIRIN

Asst. Manager


FIRMAN ARDI B

MANAGER


HERMAWAN WIDYAPRASETYA

BIN CARD *DAE-6*
ENGINEERING

U Finned Heater Model L 2000 W - 20 V, Uk. 210 mm x 550 mm

NAMA BARANG : LOKASI : *Bar*

KODE BARANG : MINIMUM STOK : 50

SATUAN : per ORDER QTY : 100

TGL	IN	OUT	JUMLAH	KETERANGAN
27/1/24			10	
27/2/24	25	25	35	W/rt. usaha SAUDARA re MANORIS
13/2/24		16	19	W/tunnel
				Cina Sun
				U.2 SKRIP
				"1416/TH"
28/2/24		4	15	W/tunnel
				china sun U.2
				"2272/TH"
04/25		7	8	W/penggantian
				Heater Tunnel
				china sun Unit 1
				W/1871"

[illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-146 Tanggal : 19 AGUSTUS 2026 Revisi : 01
--	--------------------------------------	--




NAMA BARANG	U Finned Heater 2000 Watt
TYPE / BRAND	Model L Uk. Ø 12.2 x 550 x 210 (mm)
DIGUNAKAN UNTUK	Mesin Tunnel China Sun
PEMBELIAN	Import

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Tunnel High Fine	Produksi U.1 Steril	1	8	8
TOTAL U FINNED HEATER MODEL UK. Ø 12.2 x 550 x 210 (mm) TERPASANG					8 Pcs

A	Mean Time Between Failure (MTBF)	12 Months
B	MTBF Assumption	12 Months
C	Avarage Months consumption	$8 \text{ Pcs} / 12 \text{ Months} = 0,67 = 1 \text{ Pcs}$
D	Lead Time	4 Months (From SPB) [Inden from cina]
E	Decide to maintain minimal stock	$(C \times D) = 1 \times 4 = 4 \text{ Pcs}$
F	Decide to maintain Order Point (1 Years Consumption)	$(C \times 12 \text{ Months}) = 1 \times 12 = 12 \text{ Pcs}$

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
50	100

Di Susun Oleh	Diperiksa		Mengetahui
 19/08/26 Supervisor Compliance	 10/08/26 Assistant Manager	 19/08/26 Engineering Manager	 19/08/26 Engineering Manager

BIN CARD *LAX-6*
ENGINEERING

U Finned Heater Model L 2000 W - 220 V, Uk. 250 mm x 559 mm

NAMA BARANG :	LOKASI :	Rak
KODE BARANG : 1m0 21042	MINIMUM STOK :	4 50
SATUAN : per	ORDER QTY :	25/100

TGL	IN	OUT	JUMLAH	KETERANGAN
27/1/24			3	
13/2/24		3	-	1/ Tunnel cina Sun U.1 Pk. N
				- 14/16/1th
01/11/24	50		50	Human Sunlife Pharma
21/10/26		2	48	BK-1043

[illegible]

SPAREPARTS JUSTIFICATIONS

Nomor :
Tanggal : 23 Nopember 2023
Revisi : 00

NAMA BARANG	U Finned Heater 2000 Watt
TYPE / BRAND	Model L Uk. Ø 12.2 x 559 x 250 (mm)
DIGUNAKAN UNTUK	Mesin Tunnel China Sun
PEMBELIAN	Import

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Tunnel High Fine	Produksi U.1 Steril	1	8	8
TOTAL U FINNED HEATER MODEL UK. Ø 12.2 x 559 x 250 (mm) TERPASANG					8 Pcs

A	Mean Time Between Failure (MTBF)	12 Months
B	MTBF Assumption	12 Months
C	Avarage Months consumption	8 Pcs/ 12 Months = 0,67 = 1 Pcs
D	Lead Time	4 Months (From SPB) [Inden from cina]
E	Decide to maintain minimal stock	(C x D) = 1 x 4 = 4 Pcs
F	Decide to maintain Order Point (1 Years Consumption/ MOQ Efficiency Form Abroad)	(C x 12 Months) = 1 x 12 = 12 = 25 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
50	100

Di Susun Oleh	Diperiksa		Mengetahui
	 Supervisor Compliance	 Assistant Manager	 Engineering Manager

BIN CARD *PAR-6*
ENGINEERING

U Finned Heater Model L 2000 W - 220 V, Uk. 290 mm x 581 mm

NAMA BARANG : LOKASI : Rak

KODE BARANG : 1Mo 21043 MINIMUM STOK : 4 SO

SATUAN : per ORDER QTY : 2500.

TGL	IN	OUT	JUMLAH	KETERANGAN
27/1/24			5	
13/2/24		5	-	1/ TUNEL ching sun u1 sibel " 1416 / tk "
01/4/24	50		50	Hunan Sunlife pharma
02/24 X0		1	49	1/ Punggahan' Hado ching sun u1 non shu' 1871
21/26 /07		2	47	BK- 1091

[illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor :
		Tanggal : 23 Juli 2024
		Revisi : 00


NAMA BARANG	U Finned Heater 2000 Watt
TYPE / BRAND	Model L Uk. Ø 12.2 x 581 x 290 (mm)
DIGUNAKAN UNTUK	Mesin Tunnel China Sun
PEMBELIAN	Import


NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Tunnel China Sun	Produksi U.1 Steril	1	8	8
TOTAL U FINNED HEATER MODEL UK. Ø 12.2 x 581 x 290 (mm) TERPASANG					8 Pcs

A	Mean Time Between Failure (MTBF)	12 Months
B	MTBF Assumption	12 Months
C	Avarage Months consumption	8 Pcs/ 12 Months = 0,67 = 1 Pcs
D	Lead Time	4 Months (From SPB) [import]
E	Decide to maintain minimal stock	(C x D) = 1 x 4 = 4 Pcs
F	Decide to maintain Order Point (2 Years Consumption / MOQ Efficiency Form Abroad)	(C x 24 Months) = 1 x 24 = 24 = 25 Pcs

PROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
50	100

Di Susun Oleh	Diperiksa		Mengetahui
	 Supervisor Compliance	 Assistant Manager	 Engineering Manager

Note : Spare parts ini impor
 quantity harus dipertimbangkan.
 agar tidak terlalu sedikit pemesanannya.
 sesuai scan purchasing  24/7/24

BIN CARD PAK-7 ENGINEERING

Tubular Heater 2000 Watt - 220 V, 50/60 Hz, Panjang 60 Cm (Tunnel Highfine)

NAMA BARANG : LOKASI : Pak
KODE BARANG : MINIMUM STOK : 150
SATUAN : per ORDER QTY : 300

TGL	IN	OUT	JUMLAH	KETERANGAN
27/1/24			12	
17/2/24		10	2	u/Tunnel v.1 Skril
20/2/24		2	-	u/Tunnel unit 6
				"400/FPB/TK/11/24"
20/3/24	32		32	
21/3/24		24	8	u/Penggantian Heater
				Tunnel Asapric Unit 6A
				"557/FPB/TK/11/24"
	339		347	China
20/04/24		12	335	u/Tunnel Machine
				6A "732/FPB/TK/11/24"
				W/24"
8/7/24		30	305	u/Tunnel
TGL	IN	OUT	JUMLAH	KETERANGAN
				high fine vial
				v.1 Skril
				"1364/TK"
13/7/24		42	263	u/Penggantian
				Tunnel v.6A
				"1416/TK"
31/8/24		24	239	u/Penggantian
				Tunnel Asapric
				v.6A
				"1789/TK"
08/11/25		24	215	u/Penggantian
				Heater Mesin Tunnel
				skrinisasi Air
				"2083"
03/12/24		1	214	u/Tunnel vial
				Unit 6A "2208"
12/03		42	172	BK-355
17/26/03		2	170	BK-383

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-149 Tanggal : 19 AGUSTUS 2026 Revisi : 00
--	--------------------------------------	--




NAMA BARANG	Tubular Heater
TYPE / BRAND	2000 W – 220 V, 50/60 Hz, Panjang 60 Cm
DIGUNAKAN UNTUK	Mesin Tunnel Highfine
PEMBELIAN	Import

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Tunnel High Fine AS	Produksi U.1 Steril	1	24	24
2	Mesin Tunnel High Fine SA	Produksi U.1 Steril	1	24	24
3	Liquid Vial	Produksi U.1 Steril	1	42	42
4	Liquid Powder	Produksi U.1 Steril	1	24	24
TOTAL TUBULAR HEATER TERPASANG					116 Pcs

A	Mean Time Between Failure (MTBF)	12 Months
B	MTBF Assumption	12 Months
C	Avarage Months consumption	116 Pcs/ 12 Months = 9.6 Pcs
D	Lead Time	4 Months (From SPB) [Inden from cina]
E	Decide to maintain minimal stock	$(C \times D) = 15 \times 9.6 = 150 \text{ Pcs}$
F	Decide to maintain Order Point (1 Years Consumption)	$(C \times 12 \text{ Months}) = 1.5 \times 150 = 300 \text{ Pcs}$ @Pembulatan menjadi 300 pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
150	300

Di Susun Oleh	Diperiksa		Mengetahui
 19/08/26 08	 19/08/26 Supervisor Compliance	 19/08/26 08 Assistant Manager	 19/08/26 08 Engineering Manager