

SURAT PERMINTAAN BARANG

No	Kode Barang	Nama Barang	Merk / Brand	Type	Spesifikasi	Satuan	Riwayat Pembelian				Stok Saat Ini	Minimum Stok	Jumlah Permintaan	No Justifikasi
							Tanggal	Jumlah	No SPB	Supplier				
1	IMO02477	Baud + Mur			HEX M12 X 60 mm GIV Full Drat	PCS	-	-	-	-	20	64	100	SP-FBK-048
2	IMO02478	Baud + Mur			HEX M6 X 60 mm GIV Fulldrat	PCS	-	-	-	-	0	64	100	SP-FBK-050
3	IMO02479	Baud + Mur			HEX M10 X 60 mm GIV Fulldrat	PCS	-	-	-	-	20	64	100	SP-FBK-049
4	IMO02480	Baud + Mur			L M5 X 60 mm SS 304 Fulldrat	PCS	-	-	-	-	1	64	100	SP-FBK-047
5	IMO02481	Baud + Mur			HEX M8 X60 mm SS 304 Fulldrat	PCS	-	-	-	-	0	64	100	SP-FBK-051

Catatan :
Permintaan baut dengan berbagai ukuran di atas Sudah berada pada minimum stock sehingga perlu diajukan terhadap baut dengan berbagai ukuran di atas Tersebut.

SPAREPARTS CONTROLLER

AJKA AMIRIN

Asst. Manager

HENDRAWAN

MANAGER

HERMAWAN WIDYAPRASETYA

 mersi
PT. MERSIFARMA TM
DIVISI ENGINEERING
SUKABUMI INDONESIA

Baud + Mur Hex Lk. M12 x 60 (mm) GLV Fulldrat

NAMA BARANG :

LOKASI

: AP-30

KODE BARANG :


MINIMUM STOK :

SATUAN

ORDER QTY

—

[illegible][illegible]



Good Quality Improves Life's Quality

PT. MERSIFARMA TM.
SUKABUMI-INDONESIA

SPAREPARTS JUSTIFICATIONS

Nomor : SP-FBK-048

Tanggal : 08 AGUSTUS 2026

Revisi : 00


NAMA BARANG	Baut + Mur Hexagonal
TYPE / SIZE	M12 X 60 mm GIV Fulldrat
DIGUNAKAN UNTUK	Mesin Produksi, Hvac, & Utility
PEMBELIAN	LOKAL


NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Produksi	Produksi Unit 1	1	15	15
2		Produksi Unit 2	1	36	36
3		Produksi Unit 3	1	23	23
4		Produksi Unit 4	1	19	19
5		Produksi Unit 5	1	52	52
6		Produksi Unit 1 Steril	1	11	11
7		Produksi Unit 6A Steril	1	26	26
8		Produksi Unit 6B Steril	1	69	69
9	HVAC	HVAC	2	248	496
10	UTILITY	UTILITY	2	6	12
TOTAL BAUT + MUR L SS TERPASANG					759 Pcs

A	Mean Time Between Failure (MTBF)	24 Months
B	MTBF Assumption	24 Months
C	Avarage Months consumption	759 Pcs/ 24 Months = 31.625 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 31.625 = 64 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 64 = 100 PCS @ Pembulatan Menjadi 100 PCS

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
64	100

Di Susun Oleh	Diperiksa		Mengetahui
 08/26 08	 13/02 08 Supervisor Maintenance	 18/26 08 PMT Assistant Manager	 26/02 26 +PMU Engineering Manager



Good Quality Improves Life's Quality

PT. MERSIFARMA TM.
SUKABUMI-INDONESIA

SPAREPARTS JUSTIFICATIONS

Nomor : SP-FBK-050

Tanggal : 08 AGUSTUS 2026

Revisi : 00



NAMA BARANG	Baut + Mur Hexagonal
TYPE / SIZE	M6 X 60 mm GIV Fulldrat
DIGUNAKAN UNTUK	Mesin Produksi, Hvac, & Utility
PEMBELIAN	LOKAL


NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Produksi	Produksi Unit 1	1	15	15
2		Produksi Unit 2	1	36	36
3		Produksi Unit 3	1	23	23
4		Produksi Unit 4	1	19	19
5		Produksi Unit 5	1	52	52
6		Produksi Unit 1 Steril	1	11	11
7		Produksi Unit 6A. Steril	1	26	26
8		Produksi Unit 6B Steril	1	69	69
9	HVAC	HVAC	2	248	496
10	UTILITY	UTILITY	2	6	12
TOTAL BAUT + MUR TERPASANG					759 Pcs

A	Mean Time Between Failure (MTBF)	24 Months
B	MTBF Assumption	24 Months
C	Avarage Months consumption	759 Pcs/ 24 Months = 31.625 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 2 \times 31.625 = 64 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(100\% \times E) = 150\% \times 64 = 100 \text{ PCS}$ @ Pembulatan Menjadi 100 PCS

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
64	100

Di Susun Oleh	Diperiksa		Mengetahui
 08/26/08	 13/08/08 Supervisor Maintenance	 18/26/08 Assistant Manager	 26/26/08 + MW Engineering Manager



Good Quality Improves Life's Quality

PT. MERSIFARMA TM.
SUKABUMI-INDONESIA

SPAREPARTS JUSTIFICATIONS

Nomor : SP-FBK-049

Tanggal : 08 AGUSTUS 2026

Revisi : 00


NAMA BARANG	Baut + Mur Hexagonal
TYPE / SIZE	M10 X 60 mm GIV Fulldrat
DIGUNAKAN UNTUK	Mesin Produksi, Hvac, & Utility
PEMBELIAN	LOKAL

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Produksi	Produksi Unit 1	1	15	15
2		Produksi Unit 2	1	36	36
3		Produksi Unit 3	1	23	23
4		Produksi Unit 4	1	19	19
5		Produksi Unit 5	1	52	52
6		Produksi Unit 1 Steril	1	11	11
7		Produksi Unit 6A. Steril	1	26	26
8		Produksi Unit 6B Steril	1	69	69
9	HVAC	HVAC	2	248	496
10	UTILITY	UTILITY	2	6	12
TOTAL BAUT + MUR TERPASANG					759 Pcs

A	Mean Time Between Failure (MTBF)	24 Months
B	MTBF Assumption	24 Months
C	Avarage Months consumption	759 Pcs/ 24 Months = 31.625 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 2 \times 31.625 = 64 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(100\% \times E) = 150\% \times 64 = 100 \text{ PCS}$ @ Pembulatan Menjadi 100 PCS

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
64	100

Di Susun Oleh	Diperiksa		Mengetahui
 08/26/08	 13/08/08 Supervisor Maintenance	 18/26/08 Assistant Manager	 26/02/08 Engineering Manager

BIN CARD ENGINEERING


Baud + Mur L. Uk. M5 x 60 (mm) SS 304 Fulldrat

NAMA BARANG : LOKASI : AD-25

KODE BARANG : 14002463 MINIMUM STOK :

SATUAN : per ORDER QTY :

[illegible][illegible]

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-FBK-047 Tanggal : 08 AGUSTUS 2026 Revisi : 00
---	--------------------------------------	--


NAMA BARANG	Baut + Mur L
TYPE / SIZE	M5 X 60 mm SS 304 Fullrat
DIGUNAKAN UNTUK	Mesin Produksi, Hvac, & Utility
PEMBELIAN	LOKAL


NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Produksi	Produksi Unit 1	1	15	15
2		Produksi Unit 2	1	36	36
3		Produksi Unit 3	1	23	23
4		Produksi Unit 4	1	19	19
5		Produksi Unit 5	1	52	52
6		Produksi Unit 1 Steril	1	11	11
7		Produksi Unit 6A. Steril	1	26	26
8		Produksi Unit 6B Steril	1	69	69
9	HVAC	HVAC	2	248	496
10	UTILITY	UTILITY	2	6	12
TOTAL BAUT + MUR L SS TERPASANG					759 Pcs

A	Mean Time Between Failure (MTBF)	24 Months
B	MTBF Assumption	24 Months
C	Avarage Months consumption	759 Pcs/ 24 Months = 31.625 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 31.625 = 64 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 64 = 100 PCS @ Pembulatan Menjadi 100 PCS

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
64	100

Di Susun Oleh	Diperiksa		Mengetahui
 08/26/08	 13/26/08 Supervisor Maintenance	 18/26/08 Assistant Manager	 25/8/26 Engineering Manager



Good Quality Improves Life's Quality

PT. MERSIFARMA TM.
SUKABUMI-INDONESIA

SPAREPARTS JUSTIFICATIONS

Nomor : SP-FBK-051

Tanggal : 08 AGUSTUS 2026

Revisi : 00


NAMA BARANG	Baut + Mur Hexagonal
TYPE / SIZE	M8 X 60 mm SS 304 Fullrat
DIGUNAKAN UNTUK	Mesin Produksi, Hvac, & Utility
PEMBELIAN	LOKAL

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	Mesin Produksi	Produksi Unit 1	1	15	15
2		Produksi Unit 2	1	36	36
3		Produksi Unit 3	1	23	23
4		Produksi Unit 4	1	19	19
5		Produksi Unit 5	1	52	52
6		Produksi Unit 1 Steril	1	11	11
7		Produksi Unit 6A. Steril	1	26	26
8		Produksi Unit 6B Steril	1	69	69
9	HVAC	HVAC	2	248	496
10	UTILITY	UTILITY	2	6	12
TOTAL BAUT + MUR TERPASANG					759 Pcs

A	Mean Time Between Failure (MTBF)	24 Months
B	MTBF Assumption	24 Months
C	Avarage Months consumption	759 Pcs/ 24 Months = 31.625 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 2 \times 31.625 = 64 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(100\% \times E) = 150\% \times 64 = 100 \text{ PCS}$ @ Pembulatan Menjadi 100 PCS

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
64	100

Di Susun Oleh	Diperiksa		Mengetahui
 08/26/08	 13/08/08 Supervisor Maintenance	 18/08/08 Assistant Manager	 26/08/08 Engineering Manager