

Purchase Requisition (PR)

Requisition Number	PF001740	Created at	14 Aug 2026 15:17
Requested By	FAUZAN ASHARI	Cost Center	Phymoindo
Priority	Normal	Status	In process

Requested Items

No	Item Number	Description	Qty	Due Date
1	PPMI00025	Star Aniseed Oil Ex. PT. Bintang Kreasi Aroma; CoA terlampir	25 Kg	2026-10-19

The document is electronically submitted and approved by:



FAUZAN ASHARI
14 Aug 2026 15:17



SUHERMAN
20 Aug 2026 10:09

Vincent H.

Approval History

Name	Status	Comment
FAUZAN ASHARI 14 Aug 2026 15:17	Submitted	Kebutuhan Raw Material untuk produk 88 Minyak Telon, Surat Penawaran Terlampir
SUHERMAN 20 Aug 2026 10:09	Approved	—



F. Tirtoloesnadi

Purchase Requisition (PR)

Requisition Number	PF001739	Created at	14 Aug 2026 15:12
Requested By	FAUZAN ASHARI	Cost Center	Phymoindo
Priority	Normal	Status	In process

Requested Items

No	Item Number	Description	Qty	Due Date
1	PPMI00027	White Mineral Oil Ex. PT. Columbia Petrochem Pvt., Ltd; CoA terlampir	170 Kg	2026-10-19

The document is electronically submitted and approved by:



FAUZAN ASHARI
14 Aug 2026 15:12



SUHERMAN
20 Aug 2026 10:11

Vincent H.

Approval History

Name	Status	Comment
FAUZAN ASHARI 14 Aug 2026 15:12	Submitted	Kebutuhan Bahan Baku untuk produk 88 Minyak Telon. Permintaan menyesuaikan MOQ. Surat penawaran terlampir
SUHERMAN 20 Aug 2026 10:11	Approved	—



F. Tirtokoesnadi

Purchase Requisition (PR)


Requisition Number	PF001703	Created at	12 Aug 2026 11:41
Requested By	NILAM WARDAH	Cost Center	Phymoindo
Priority	Normal	Status	In process

Requested Items

No	Item Number	Description	Qty	Due Date
1	PPMI00029	pH composite electrode (premium) no. Cat 962201 pH composite electrode (premium) PH500T pH meter no cat: 962201 ex. Laboao	1 Pc	2026-10-06

The document is electronically submitted and approved by:


NILAM WARDAH
12 Aug 2026 11:41


SUHERMAN
20 Aug 2026 10:13


VINCENT H.

Approval History

Name	Status	Comment
NILAM WARDAH 12 Aug 2026 11:41	Submitted	pH sensor/elektroda termasuk consumable part yang memiliki masa pakai yang terbatas dan selalu digunakan setiap hari dan perlu diganti secara berkala berdasarkan performa pembacaan dengan hasil slope 87,97% sedangkan syarat slope yaitu 90 – 105%, sehingga perlu pemesanan untuk penggantian part tersebut guna menunjang kegiatan analisa di laboratorium.
SUHERMAN 20 Aug 2026 10:13	Approved	—


F. Tirtokoesnadi

Purchase Requisition (PR)


Requisition Number	PF001746	Created at	14 Aug 2026 15:36
Requested By	NILAM WARDAH	Cost Center	Phymoindo
Priority	Normal	Status	In process


Requested Items

No	Item Number	Description	Qty	Due Date
1	PPMI00030	Tabung Durham d : 7 mm t : 30 mm	25 Pc	2026-09-11
2	PPMI00031	Tabung Reaksi 15 mL tabung rekasi test tube with rim ex. IWAKI no cat: TEST15NP	135 Pc	2026-09-11
3	PPMI00032	Glass rod spreader glass rod spreader ex. IWAKI no cat: ROD-SPD7-120	1 Pc	2026-09-11
4	PPMI00033	Botol Duran 100 mL Lanoratory bottle with PP screw cap and pp pouring ring (blue), borosilicate ex. Normax no cat : 21801245	4 Pc	2026-09-11
5	PPMI00008	Rak tabung reaksi rak tabung reaksi stainlees lubang 50	1 EA	2026-09-11

The document is electronically submitted and approved by:


NILAM WARDAH
14 Aug 2026 15:36


SUHERMAN
20 Aug 2026 10:08


Vincent H.

Approval History

Name	Status	Comment
NILAM WARDAH 14 Aug 2026 15:36	Submitted	Glassware digunakan sebagai perlengkapan pendukung dalam pelaksanaan pengujian mikrobiologi dan preparasi kultur/media; Rak tabung reaksi digunakan untuk menopang tabung reaksi agar tidak tumpah dan untuk pengujian APM
SUHERMAN 20 Aug 2026 10:08	Approved	—


F. Tirtokoesnadi

Purchase Requisition (PR)


Requisition Number	PF001684	Created at	10 Aug 2026 14:23
Requested By	ANGGIT FAUZI	Cost Center	IT
Priority	Normal	Status	In process

Requested Items

No	Item Number	Description	Qty	Due Date
1	IMO11001	Komputer WEARNES 9510L	1 St	2026-08-18
2	IMO13002	Monitor SAMSUNG 19 inc	1 Un	2026-08-18

The document is electronically submitted and approved by:


ANGGIT FAUZI
10 Aug 2026 14:23


SUHERMAN
11 Aug 2026 09:49


vincent H.

Approval History

Name	Status	Comment
ANGGIT FAUZI 10 Aug 2026 14:23	Submitted	Digunakan untuk kebutuhan komputerisasi Marketing Phymoindo bertujuan untuk mempermudah pembuatan pekerjaan yang terkait komunikasi , dokumentasi dan sebagainya
SUHERMAN 11 Aug 2026 09:49	Approved	—


F. Tirtokoesnadi