

SURAT PERMINTAAN BARANG

No	Kode Barang	Nama Barang	Merk / Brand	Type	Spesifikasi	Satuan	Riwayat Pembelian				Stok Saat Ini	Minimum Stok	Jumlah Permintaan	No Justifikasi
							Tanggal	Jumlah	No SPB	Supplier				
1	IMO16260	Phase Fairule		RM22TG20	Relay 3P	PCS	11-Aug-26	3	TK260619	PT CITRA ELEKTRINDO MANDIRI	1	2	3	SP-ELC-095
2	IMO12001	Lampu	Philips		Natrium SON- T 150W E E40	PCS	24-Aug-26	6	TK260706	CV DAYA MANUNGGAL TEKNIK	5	4	6	SP-ELC-049
3	ATSP00933	Ignitor	Philips		Lampu SNS 100 - 600W 220-240 V	PCS	24-Aug-26	2	TK260706	CV DAYA MANUNGGAL TEKNIK	1	1	2	SP-ELC-058
4	IMO06076	Fitting	Philips		Down Light Keramik E40	PCS	24-Aug-26	2	TK260706	CV DAYA MANUNGGAL TEKNIK	0	1	2	SP-ELC-133
5	IMO02082	Ballast	Philips		Lampu BSN 150W 150 L 300 T 220V	PCS	24-Aug-26	2	TK260706	CV DAYA MANUNGGAL TEKNIK	1	1	2	SP-ELC-057
6	IMO03203	Capasitor	Philips		CP-25BU28	PCS	24-Aug-26	2	TK260706	CV DAYA MANUNGGAL TEKNIK	1	1	2	SP-ELC-058

Catatan :
Permintaan Phase Fairule, Lampu Natrium, Ignitor, Fitting, Ballast & Capasitor,, Sudah berada pada minimum stock sehingga perlu diajukan terhadap Phase Fairule, Lampu Natrium, Ignitor, Fitting, Ballast & Capasito Tersebut.

SPAREPARTS CONTROLLER  AJKA AMIRIN	Asst. Manager  FIRMAN AB	MANAGER  HERMAWAN WIDYAPRASETYA
---	--	--

A

BIN CARD V-7 ENGINEERING

ase Failure Relay 3P / Relay/Control Relay Zelio 3Phase RM 22 TG 20

BARANG : LOKASI :
BARANG : 14016106 MINIMUM STOK : 2
AN : per ORDER QTY : 3

	IN	OUT	JUMLAH	KETERANGAN
4			1	
4	3		4	Multi jembar Abadi
4		1	3	1/ Outdoor HVAC v.1 Zone 2
4		1	2	1/ Panel Cool Storage "982/th"
1		1	1	1/ Outdoor U4 "1352/PRBTK/ v.1"
4		1	-	1/ Indoor HVAC v.1 B "1787/th"

	IN	OUT	JUMLAH	KETERANGAN
4	3		3	1/ Multi jembar Abadi
24		1	2	1/ Outdoor CH3 v.1 "1995/th"
4	3		5	Multi jembar Abadi
24		1	4	1/ Penggantian Outdoor HVAC Zone 2 no2 v.1 Sterin "2714/th"
5		1	3	1/ Penggantian Outdoor Zone 3 v.1 non Sterin "718/th"
25		1	2	1/ Outdoor Zone 2 v.1 "745/th"

BIN CARD ENGINEERING

A BARANG : LOKASI :
E BARANG : MINIMUM STOK :
AN : ORDER QTY :

	IN	OUT	JUMLAH	KETERANGAN
5		1	1	u/ Bluster CH1
				Unit 1 "902"
5		1	-	u/ out door
				U.2 north end
				Unit 3 north
				"11"
5	3		3	IT. Juhana Akhtar
				dulu guru
5		1 1	2	u/ panel Motor
				Fan rumah
				Unit 2 "1700"
5		1	1	u/ AC rumah
				Sepeder "1862"
	IN	OUT	JUMLAH	KETERANGAN
26		1	-	"093"
1				
6	3		3	BM. 144
26		1	2	BK. 758
6				
26		1	1	BK. 906
7				
26		1	0	BK. 1010
26	3		3	BM. 0292
26				
26		1	2	BK. 1206
8				
26		1	1	BK. 1370
9				

L: V-7



Good Quality Improves Life's Quality

PT. MERSIFARMA TM.
SUKABUMI-INDONESIA

SPAREPARTS JUSTIFICATIONS

Nomor :

Tanggal : 4 Januari 2024

Revisi : 00




NAMA BARANG	Phase Failure Relay 3P
TYPE / BRAND	RM22TG20 / Schneider
DIGUNAKAN UNTUK	Outdoor HVAC dan Blister
PEMBELIAN	Lokal

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	OutDoor HVAC	Produksi U.1 Steril	11	1	11
2		Produksi U.1	11	1	11
3		Produksi U.2	11	1	11
4		Produksi U.3	5	1	5
5		Produksi U.4	13	1	13
6		Produksi U5	4	1	4
7		Lab	5	1	5
8	Blister	Produksi U.1	6	1	6
9		Produksi U.2	2	1	2
10		Produksi U.3	1	1	1
11		Produksi U.4	7	1	7
TOTAL PHASE FAILURE RELAY 3P RM22TG20 TERPASANG					76 Pcs

A	Mean Time Between Failure (MTBF)	72 Months
B	MTBF Assumption	72 Months
C	Average Months consumption	76 Pcs/ 72 Months = 1 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 1 \times 2 = 2 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(150\% \times E) = 150\% \times 2 = 3 \text{ Pcs}$

PROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
2	3

Di Susun Oleh	Diperiksa		Mengetahui
 Plan Sopan	 Supervisor Compliance	 Assistant Manager	 Engineering Manager





PT. Marcifarma TM

DIVISI ENGINEERING

Ignitor Lampu

BIN CARD ENGINEERING

NAMA BARANG : Philips SN58 100 .. 600W 220-240V SI : V-1

KODE BARANG : ATSp00g33 MINIMUM STOK : 1

SATUAN	: pcr	ORDER QTY	: 2
--------	-------	-----------	-----

[illegible]



mersi
Good Quality Improves Life's Quality
PT. MERSIFARMA TM.
SUKABUMI-INDONESIA

**SPAREPARTS
JUSTIFICATIONS**

Nomor : SP-ELC-058
Tanggal : 04 MEI 2026
Revisi : 00




NAMA BARANG	Ignitor Philips
TYPE / BRAND	SNS8 100 600 W, 220 V – 240 V
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING,CAPPING,MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 ADE 09/26/05	 Supervisor Compliance	 Assistant Manager	 Manager Engineering

2-5

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-057 Tanggal : 17 APRIL 2026 Revisi : 00
---	--------------------------------------	--



NAMA BARANG	Ballast Lampu
TYPE / BRAND	BSN 1 50 L 300T, 150 W, 220 V, 50 HZ, 80 A / PHILIPS
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING, CAPPING, MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 09/26/26	 09/26/26 Supervisor Compliance	 09/26/26 Assistant Manager	 08/26/26 Manager Engineering

00-14

 mersi Good Quality Improves Life's Quality PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-049 Tanggal : 02 JULI 2026 Revisi : 01
--	--	--




NAMA BARANG	Lampu Natrium
TYPE / BRAND	SON-T 150W E E40 / Philips
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING, CAPPING, MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	6 Months
B	MTBF Assumption	6 Months
C	Avarage Months consumption	6 Pcs/ 6 Months = 1 Pcs
D	Lead Time	4 Months (From SPB)
E	Decide to maintain minimal stock	$(C \times D) = 4 \times 1 = 4 \text{ Pcs}$
F	Decide to maintain Order Point (100% - 150%)	$(100\% \times E) = 150\% \times 4 = 6 \text{ Pcs}$

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
4	6

Di Susun Oleh	Diperiksa		Mengetahui
 02/26/07	 02/07/26 Supervisor Compliance	 03/26/07 Assistant Manager	 03/09/26 Manager Engineering



PT. MERSIFARMA TM
DIVISI ENGINEERING
SUKABUMI INDONESIA



Capasitor Philips CP-25BU28

NAMA BARANG : LOKASI : P-5

KODE BARANG : 14003203 MINIMUM STOK :

SATUAN : pc ORDER QTY :

[illegible]

R-5

 mersi <i>Good Quality Improves Life's Quality</i> PT. MERSIFARMA TM. SUKABUMI-INDONESIA	SPAREPARTS JUSTIFICATIONS	Nomor : SP-ELC-058
		Tanggal : 04 MEI 2026
		Revisi : 00



NAMA BARANG	Capacitor
TYPE / BRAND	CP20CU28 250 V/ Philips
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING,CAPPING,MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 04/26/05 HJK	 04/05/16 Supervisor Compliance	 04/26/05 Assistant Manager	 08/26/05 Manager Engineering

R-5

SPAREPARTS JUSTIFICATIONS

Nomor : SP-ELC-133
 Tanggal : 02 JULI 2026
 Revisi : 00



NAMA BARANG	Fitting Lampu Natrium
TYPE / BRAND	Philips E40
DIGUNAKAN UNTUK	FILLING AMPOULE, STOPPRING, CAPPING, MIXING 500 L

NO	DIPAKAI UNTUK	LOKASI	JUMLAH PERALATAN [A]	JUMLAH BARANG / SATU ALAT [B]	TOTAL [A x B]
1	FILLING AMPOULE	PRODUKSI UNIT 6A STERIL	1	1	1
2	STOPPRING	PRODUKSI UNIT 6A STERIL	1	1	1
3	CAPPING	PRODUKSI UNIT 6A STERIL	1	1	1
4	MIXING 500 L	PRODUKSI UNIT 6A STERIL	1	3	3
TOTAL LAMPU NATRIUM TERPASANG					6 Pcs

A	Mean Time Between Failure (MTBF)	48 Months
B	MTBF Assumption	48 Months
C	Avarage Months consumption	6 Pcs/ 48 Months = 0.125 Pcs
D	Lead Time	2 Months (From SPB)
E	Decide to maintain minimal stock	(C x D) = 2 x 0.125 = 1 Pcs
F	Decide to maintain Order Point (100% - 150%)	(100% x E) = 150% x 1 = 2 Pcs

ROPOSAL TO SECURE OF SUPPLY

MINIMUM STOCK	ORDER QUANTITY
1	2

Di Susun Oleh	Diperiksa		Mengetahui
 02/07/26	 02/07/26 Supervisor Compliance	 02/07/26 Assistant Manager	 06/07/26 Manager Engineering