

Purchase Requisition (PR)

Requisition NumberPF001992Created at10 Sep 2026 16:25


Requested ByELVINA FITRISIACost CenterBiovac

PriorityVery UrgentStatusIn process

Requested Items

No	Item Number	Description	Qty	Due Date
1	IMO05011	Elbow Elbow 45° PVC 6 inch	4 Pc	2026-09-17
2	IMO19245	Soket PVC Shock pipa PVC 6 inch	10 Pc	2026-09-17
3	IAT00118	Lem PVC Lem isarplas kaleng kebutuhan 12 kaleng @ 400 gram	12 Pc	2026-09-17
4	IPT00004	Amplas Grid 180 Kebutuhan 5 meter	0.1 Ro	2026-09-17
5	IPT00004	Amplas Grid 80 Kebutuhan 2 meter	0.04 Ro	2026-09-17

The document is electronically submitted and approved by:


ELVINA FITRISIA
10 Sep 2026 16:25


DYAH ARUM MULYANINGSIH
11 Sep 2026 10:43


MATTHEW YAP
13 Sep 2026 11:11

F. Irtokoesnadi

Approval History

Name	Status	Comment
ELVINA FITRISIA 10 Sep 2026 16:25	Submitted	drafting Pembelian material untuk pipa black utility. X 14 Sep 2026.
DYAH ARUM MULYANINGSIH 11 Sep 2026 10:43	Approved	kelengkapan bahan material Black utility
MATTHEW YAP 13 Sep 2026 11:11	Approved	—