



PT. MERSIFARMA TM
SUKABUMI-INDONESIA

**FORMULIR LATAR
BELAKANG PERMINTAAN
BARANG**

Diisi oleh Pemohon

DEPARTEMEN: PRODUKSI UNIT 4

No.: 169 /LBPB/IX/2026

- ☒ Peralatan Produksi
☐ Peralatan Engineering
☐ Peralatan Umum / Logistik / K3
☐ Peralatan Komputer

- ☐ Peralatan Laboratorium
☐ _____
☐ _____
☐ _____

Rencana Waktu Penggunaan:

Desember 2026 *Bek*

Leadtime Purchasing:

☐ Peralatan Baru

☒ Penambahan

☐ Penggantian

☐ Berita Acara Kerusakan

SYARAT WAJIB PERALATAN BARU DAN PENAMBAHAN :

1. Lampirkan Foto / Brosur / Leaflet / Drawing Peralatan Baru.
2. Lampirkan Estimasi Harga atau Penawaran Harga.
3. Permintaan Peralatan Jenis Baru dibuat hanya sekali untuk awal mendaftarkan kesistem QAD.
4. Permintaan Penambahan Peralatan jenis yang sama tetap mengisi Formulir dengan melampirkan Histori Peralatan beserta Nomor Inventaris sebelumnya.
5. Barang diterima oleh Pemohon wajib memberikan Nomor Inventaris sesuai penomoran standar perusahaan.

SYARAT WAJIB PENGANTIAN:

1. Lampirkan Foto Peralatan sebelumnya yang akan diganti.
2. Lampirkan Berita Acara Kerusakan.
3. Permintaan Penggantian Peralatan tetap mengisi Formulir dengan menyampaikan penggantian dengan Jenis yang sama dari sebelumnya atau Jenis Baru.
4. Barang diterima oleh Pemohon wajib memberikan Nomor Inventaris sesuai penomoran standar perusahaan.

Nama Barang

Nama&Spesifikasi Barang (Merk, Tipe, dan Keterangan Lainnya)

2/11/26

Jumlah
Unit

Estimasi
Harga

Masa Waktu
Pakai

Masa Frekuensi
Pakai

Inkjet Printer Hitachi Type RX-2S

unit
3 pcs

*Penawaran harga
terlampir*

5 Tahun

Setiap Hari

Latar Belakang Permintaan & Peruntukkan

Perlu dilakukan pengadaan inkjet printer Hitachi tipe RX-2S untuk mesin baru yaitu mesin strip SLB-300 (1 pcs) dan mesin blister Ruian Shengtai 260-D (2 pcs). Inkjet printer Hitachi tipe RX-2S digunakan untuk memberikan penandaan (No bets, MD/ED, dan HET) pada strip atau blister.

Dibuat:

Hikmah

Tgl. :

24/12/26

Nama :

Hikmah Ponce Achik

(Kordinator/Supervisor)

Diperiksa&disetujui:

Tgl. :

24/12/26

Nama :

(Manager)


Nomor : PP-FO/001.00
Dokumen

Tanggal:
Berlaku

24 DEC 2025

Disetujui:
Oleh

[Signature]



LAYOUT UNIT 4 LANTAI 2

LOKASI
LOCATION

KETERANGAN
LEGEND

SYMBOL	KETERANGAN
→	ALUR BAWAH DINDI
→	ALUR BAWAH KEMAS PRIMER
→	ALUR BAWAH KEMAS SIKUNDIR
→	ALUR PRODUK JADI
→	ALUR PRODUK SETERANG JADI
→	ALUR ORANG
→	STIK PONDASI/PAKSI PAKSI

NO. REFERENSI
REFERENCE NUMBER

1. 0355/MFG/TR/PP/VII/24

2. 0356/MFG/TR/PP/VII/24

NO. TANGGAL
REVISION

Desain/revi :

MANUFACTUR

mersi
Good Quality Improves Life's Quality
SUKABUMI-CIKEMBAR

STATUS GAMBAR
DRAWING STATUS

AS BUILT DRAWING

JUDUL DOK. DRAWING TITLE

LAYOUT UNIT 4 LANTAI 2

PROJECT	UNIT 4	REVISI	LOKASI
0355/MFG/TR/PP/VII/24	001	001	A3
0356/MFG/TR/PP/VII/24	002	002	NTS
0357/MFG/TR/PP/VII/24	003	003	NTS
0358/MFG/TR/PP/VII/24	004	004	NTS
0359/MFG/TR/PP/VII/24	005	005	NTS
0360/MFG/TR/PP/VII/24	006	006	NTS
0361/MFG/TR/PP/VII/24	007	007	NTS
0362/MFG/TR/PP/VII/24	008	008	NTS
0363/MFG/TR/PP/VII/24	009	009	NTS
0364/MFG/TR/PP/VII/24	010	010	NTS
0365/MFG/TR/PP/VII/24	011	011	NTS
0366/MFG/TR/PP/VII/24	012	012	NTS
0367/MFG/TR/PP/VII/24	013	013	NTS
0368/MFG/TR/PP/VII/24	014	014	NTS
0369/MFG/TR/PP/VII/24	015	015	NTS
0370/MFG/TR/PP/VII/24	016	016	NTS
0371/MFG/TR/PP/VII/24	017	017	NTS
0372/MFG/TR/PP/VII/24	018	018	NTS
0373/MFG/TR/PP/VII/24	019	019	NTS
0374/MFG/TR/PP/VII/24	020	020	NTS
0375/MFG/TR/PP/VII/24	021	021	NTS
0376/MFG/TR/PP/VII/24	022	022	NTS
0377/MFG/TR/PP/VII/24	023	023	NTS
0378/MFG/TR/PP/VII/24	024	024	NTS
0379/MFG/TR/PP/VII/24	025	025	NTS
0380/MFG/TR/PP/VII/24	026	026	NTS
0381/MFG/TR/PP/VII/24	027	027	NTS
0382/MFG/TR/PP/VII/24	028	028	NTS
0383/MFG/TR/PP/VII/24	029	029	NTS
0384/MFG/TR/PP/VII/24	030	030	NTS
0385/MFG/TR/PP/VII/24	031	031	NTS
0386/MFG/TR/PP/VII/24	032	032	NTS
0387/MFG/TR/PP/VII/24	033	033	NTS
0388/MFG/TR/PP/VII/24	034	034	NTS
0389/MFG/TR/PP/VII/24	035	035	NTS
0390/MFG/TR/PP/VII/24	036	036	NTS
0391/MFG/TR/PP/VII/24	037	037	NTS
0392/MFG/TR/PP/VII/24	038	038	NTS
0393/MFG/TR/PP/VII/24	039	039	NTS
0394/MFG/TR/PP/VII/24	040	040	NTS
0395/MFG/TR/PP/VII/24	041	041	NTS
0396/MFG/TR/PP/VII/24	042	042	NTS
0397/MFG/TR/PP/VII/24	043	043	NTS
0398/MFG/TR/PP/VII/24	044	044	NTS
0399/MFG/TR/PP/VII/24	045	045	NTS
0400/MFG/TR/PP/VII/24	046	046	NTS
0401/MFG/TR/PP/VII/24	047	047	NTS
0402/MFG/TR/PP/VII/24	048	048	NTS
0403/MFG/TR/PP/VII/24	049	049	NTS
0404/MFG/TR/PP/VII/24	050	050	NTS
0405/MFG/TR/PP/VII/24	051	051	NTS
0406/MFG/TR/PP/VII/24	052	052	NTS
0407/MFG/TR/PP/VII/24	053	053	NTS
0408/MFG/TR/PP/VII/24	054	054	NTS
0409/MFG/TR/PP/VII/24	055	055	NTS
0410/MFG/TR/PP/VII/24	056	056	NTS
0411/MFG/TR/PP/VII/24	057	057	NTS
0412/MFG/TR/PP/VII/24	058	058	NTS
0413/MFG/TR/PP/VII/24	059	059	NTS
0414/MFG/TR/PP/VII/24	060	060	NTS
0415/MFG/TR/PP/VII/24	061	061	NTS
0416/MFG/TR/PP/VII/24	062	062	NTS
0417/MFG/TR/PP/VII/24	063	063	NTS
0418/MFG/TR/PP/VII/24	064	064	NTS
0419/MFG/TR/PP/VII/24	065	065	NTS
0420/MFG/TR/PP/VII/24	066	066	NTS
0421/MFG/TR/PP/VII/24	067	067	NTS
0422/MFG/TR/PP/VII/24	068	068	NTS
0423/MFG/TR/PP/VII/24	069	069	NTS
0424/MFG/TR/PP/VII/24	070	070	NTS
0425/MFG/TR/PP/VII/24	071	071	NTS
0426/MFG/TR/PP/VII/24	072	072	NTS
0427/MFG/TR/PP/VII/24	073	073	NTS
0428/MFG/TR/PP/VII/24	074	074	NTS
0429/MFG/TR/PP/VII/24	075	075	NTS
0430/MFG/TR/PP/VII/24	076	076	NTS
0431/MFG/TR/PP/VII/24	077	077	NTS
0432/MFG/TR/PP/VII/24	078	078	NTS
0433/MFG/TR/PP/VII/24	079	079	NTS
0434/MFG/TR/PP/VII/24	080	080	NTS
0435/MFG/TR/PP/VII/24	081	081	NTS
0436/MFG/TR/PP/VII/24	082	082	NTS
0437/MFG/TR/PP/VII/24	083	083	NTS
0438/MFG/TR/PP/VII/24	084	084	NTS
0439/MFG/TR/PP/VII/24	085	085	NTS
0440/MFG/TR/PP/VII/24	086	086	NTS
0441/MFG/TR/PP/VII/24	087	087	NTS
0442/MFG/TR/PP/VII/24	088	088	NTS
0443/MFG/TR/PP/VII/24	089	089	NTS
0444/MFG/TR/PP/VII/24	090	090	NTS
0445/MFG/TR/PP/VII/24	091	091	NTS
0446/MFG/TR/PP/VII/24	092	092	NTS
0447/MFG/TR/PP/VII/24	093	093	NTS
0448/MFG/TR/PP/VII/24	094	094	NTS
0449/MFG/TR/PP/VII/24	095	095	NTS
0450/MFG/TR/PP/VII/24	096	096	NTS
0451/MFG/TR/PP/VII/24	097	097	NTS
0452/MFG/TR/PP/VII/24	098	098	NTS
0453/MFG/TR/PP/VII/24	099	099	NTS
0454/MFG/TR/PP/VII/24	100	100	NTS

D-C-CI-U4NS.L2-002

PRJ. 01-PT/001.00

DATA MESIN INK JET PRINTER DEPT. PRODUKSI

No	Unit Produksi	Jumlah (unit)	Type Ink Jet Printer HITACHI	SN	No. Inventaris Inkjet	Alokasi		Keterangan
						Nama & No. Ruangan	Nama Mesin/Bagian	
1	Unit Steril SVP	4	Ink Jet Printer Hitachi. Type : RX2	06319505	021/U.1/PROD/INK/02/16/1	Kemas Sekunder Line 2 (R.6A-280)	Kemas Sekunder	
2			Type : RX2	R2S37117203	027/PLA/PROD/MCH/JP/II/23	Printing 1 (R.6A-283)	Kemas Sekunder	
3			Type : RX2	R2S00337402	804/B.D/PROD/PTR/06/14/1	Kemas Sekunder Unit 1 Steril	Kemas Sekunder	
4			Type : RX2	R2S36251112	1625-24-1-0161-2	Printing 3 (R.6A-276)	Kemas Sekunder	
5	Unit 1	6	Type : RX2	R2S04813502	021/U.1/PROD/INK/02/16/2	R. Blistering 1 (Unit 1.145)	Blister Chunguang-1	
6			Type : RX2	R2S02081409	804/B.D/PROD/PTR/06/14/2	R.Blistering 5 (Unit 1.116)	Blister Accurate-1	
7			Type : UX	UXD02247609	028/U.1/PROD/INK/03/17/1	R. Penandaan (Unit 1.S.203)	Kemas Sekunder	
8			Type : RX2	09072512	102/U.1/PROD/INK/06/16/1	R. Blistering 2 (Unit 1.146)	Blister Chunguang-2	
9			Type : UX	UXD02239609	028/U.2/PROD/INK/03/17/3	R. Filling (Unit 1.140)	Blister Chunguang-3	
10			Type : UX	UXD02246609	028/U.3/PROD/INK/03/17/6	R. Blistering (Unit 1.147)	Blister Accurate-2	
11	Unit 2	3	Type : RX2	R2S09189512	102/U.1/PROD/INK/06/16/2	R. Pengemasan Primer 1 (U2.132)	Stripping Chunguang-1	
12			Type : RX2	R2S03051411	804/B.D/PROD/PTR/06/14/3	R. Pengemasan Primer 2 (U2.131)	Stripping Chunguang-2	
13			Type : RX2	R2S00029312	848/U.2/Prod/Inj/12/14/002	R Printing	Kemas Sekunder	
14	Unit 3	4	Type : UX	02244609	028/U.3/PROD/INK/03/17/4	R. Staggung Bahan Kemas	-	
15			Type : PXR	15417003	360/A/PROD/PXR/04/11	R. Pengemasan Primer 2 (Unit 3.118)	Blister Accurate	
16			Type : PXR	03877705	325/A/PROD/PXR/07/10	R. Pengemasan Primer 1 (Unit 3.119)	Stripping Chunguang-3	
17			Type : RX2	R2S00161402	848/U.2/PROD/INJ/12/14/001	R. Printing & Penandaan (Unit 3.136)	Kemas Sekunder	
18	Unit 4	12	Type : RX2	R2S03478412	117/U.4/PROD/INK/08/16/2	R. Stripping 1 (4.137)	Stripping Chunguang -1	
19			Type : RX2	-	021/U.1/PROD/INK/02/16/3	R. Blistering 1 (4.136)	Blister Jiangnan DPP-250 D II	
20			Type : RX2	02524410	011/U.4/Prod/Ink/03/15/1	R. Printing 2 (4.M.100)	Kemas Sekunder	
21			Type : UX	UXD02229609	028/U.2/PROD/INK/03/17/5	R. Printing 1 (4.M.101)	Kemas Sekunder	
22			Type : RX2	06314505	011/U.4/Prod/Ink/03/15/2	R. Blistering 4 (1.121)	Blister Jiangnan DPP-250E	
23			Type : RX2	R2S35346108	018/U.4/PROD/INK/VII/22	R. Stripping 6 (4.144)	Stripping Chunguang-3	
24			Type : RX2	R2S09086512	117/U.4/PROD/INK/08/16/1	R. Stripping 2 (4.138)	Stripping Chunguang-2	
25			Type : UX	UXD01027603	146/U.4/PROD/INK/10/16/1	R. Blistering 3 (4.141)	Blister Accurate-2	
26			Type : RX2	R2S34591105	1625-24-1-0161-2-1	R. Blistering 5	Blister Accurate-3	
27			Type : RX2	R2S34531105	1625-24-1-0161-2-2	R. Stripping 5	Stripping Chunguang-4	
28			Type : RX2	R261154165605	024/U.4/PROD/INK/IX/22	R. Blistering 2 (4.140)	Blister Accurate-1	
29			Type : RX2	R2S13884609	1625-24-1-0163-2	R. Kemas Primer 1 (4.219)	Blister Accurate-4	
30	Unit 5	1	Type : RX2	R2S06315505	021/U.5/PROD/INK/02/16/4	R. Kemas Sekunder Unit 5	Kemas Sekunder	
31	Unit IOT	2	Type : RX2	R2S35454108	1625-25-1-01100-2-1	R. Kemas Sekunder	Kemas Sekunder	
32			Type : RX2	R2S33277012	1625-25-1-01100-2-2	R. Blister	Blister Accurate 240 Plus	
	TOTAL (EKSISTING)	32						
1	Unit 4 Lt. 2	3	Type : RX2	-	-	R. Kemas Primer 2 (4.220)	Blister DPP 260D (1)	Kebutuhan untuk mesin baru
2			Type : RX2	-	-	R. Kemas Primer 3 (4.223)	Blister DPP 260D (2)	
3			Type : RX2	-	-	R. Kemas Primer 5 (4.225)	Stripping SLB-300	
	RENCANA PENAMBAHAN	3						

**PT. TRIACOM INDONESIA**

Jl. Oto Iskandar dinata No. 427
Bandung 40252, Jawa Barat
Tlp. (022) 88885327, Fax. (022) 88885327

Bandung, 29 September 2026

Ref No. : TI/MTM/IX/2026/027

Subject : **Penawaran Harga Hitachi Ink Jet Printer RX 2 (Refurbished)**

Client : PT. Mersifarma Tirmaku Mercusana

Dear Sir,

We Thank you for your enquiry of the High Resolution Inkjet Printer. We are pleased to quote you as below:

Hitachi IJ Printer RX2 Series Standard Model 4 Line

The Standard Specification :

• Nozzle size	65 µm
• Max.print line number	Up to 5 lines (Option: Up to 5 lines)
• Maximum number of print characters	Up to 120 characters (Option: Up to 1,000 characters)
• Font (Horizontal × vertical)	4×5(Option),5×5,5×7(8),9×7(8),7×10, 11×11(Chinese only),10×12,12×16,18×24,24×32(Option)
• Character height	0.08-0.39 inches / 2-10 mm WYSIWYG design
• Display & input device	Display :TFT LCD(10.4 inch, color), back light provided Input device : Touch panel, input sound provided
• Screen language 2 languages selectable	English, Chinese, Korean, Thai, Vietnamese, German, French, Dutch, Italian, Spanish, Portuguese, Swedish, Danish, Greek, Russian, Czech, Polish, Arabic, Serbian, Turkish, Hungarian, Bulgarian, Catalan, Romanian, Finnish, Norwegian available
• Maximum print rate (character/s)(Font 5×5, space1, 1 Line)	Up to 1,148 (Option: Up to 2,296)
• Standard characters	Alphanumeric (A-Z, a-z, 0-9), symbols(27), space : total 90



PT. TRIACOM INDONESIA

Jl. Oto Iskandar dinata No. 427

Bandung 40252, Jawa Barat

Tlp. (022) 88885327, Fax. (022) 88885327

• User pattern	Each dot matrix 200 patterns
• Print function	Calendar, Count, Font mixture, Password security,ect
• Barcode printing	Code39, ITF, NW-7, EAN-13, EAN-8, UPC-A, UPC-E, code128/EAN-128, GS-1 DataBar
• 2D code printing	Option: Data Matrix (Alphabet: 49 characters/Numerals: 98 characters), QR, Micro QR code
• Message storage capacity	48 messages Option: Up to 2,000 messages (depends on data content)
• Input signal	Print target detection, Printing stop, Rotary encoder pulse, Reciprocatve printing, Remote control (Run, Stop, High-voltage ON/OFF, Reset), (NPN/PNP Selectable)
• Output signal	Print in progress or Print complete, Online (NPN/PNP Selectable), Print ready, Fault, Warning (NPN Only)
• Data interface	RS-232C at baud rates selectable up to 115,200bps (Option: Ethernet)
• External memory	USB for user data storage
• Head cable length / angle	13.1ft / 4m (inline/90 degrees), (Option: 6m)
• Operating temperature range	32-113°F / 0-45°C (JP-K67, JP-K69 Ink)
• Humidity range	30-90% R.H. (no condensation)
• Power supply (Automatic voltage selection)	AC100-120/220-240V±10% 50/60Hz 120VA (AC Inlet)
• Approval	CE, UL, cUL, C-Tick, FCC, ICES
• Overall size (width×depth×height)	15.7x12.6x18.9 inches 400x320x480mm
• Environmental protection	IP55
• Approximate weight	55lbs / 25 kg



PT. TRIACOM INDONESIA

Jl. Oto Iskandar dinata No. 427
Bandung 40252, Jawa Barat
Tlp. (022) 88885327, Fax. (022) 88885327

Each set will be supplied with:

1. Object sensor standard 1 Pcs
2. 1 Liter Ink for start up
3. 1 Liter Make Up for start up
4. UPS (Not Guarantee) 1 Pcs
5. Mounting stand for print head unit and sensor unit 1 set
6. Table for cabinet unit 1 Pcs

Total Invesment:

1 Unit Hitachi RX2 Refurbished	IDR 87.000.000
Total Invesment 3 unit	IDR 261.000.000

Terms and Conditions:

- Delivery Time : 12-16 Weeks after Order Confirmation Received
- Payment : 100 % After Installation and Commissioning
- Warranty : 12 Months for the Inkjet Printer, including spare parts (Standard Operational)

Not cover the Human Error & electrical cause.

- Validity : 14 Days from the date of quotation.
- Price Exclude VAT 11%
- Penawaran ini berlaku untuk untuk penggunaan consumable dari pihak PT. Triacom Indonesia yaitu menggunakan merk Solujet (tinta dan make).

We Thank for your kind attention and cooperation.

If you need any further information, please do not hesitate to contact or email us.

Warm Regards,

Rendy
General Manager